

Recombinant Human ACOT8 293 Cell Lysate

Cat. No. ACOT8-9086HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for acyl-CoA thioesterase 8 (ACOT8), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [ACOT8 acyl-CoA thioesterase 8 \[Homo sapiens \]](#)

Official Symbol ACOT8

Synonyms

ACOT8; acyl-CoA thioesterase 8; peroxisomal acyl CoA thioesterase , peroxisomal acyl CoA thioesterase 1 , PTE1; acyl-coenzyme A thioesterase 8; choloyl CoA hydrolase; hACTE III; hTE; PTE 2; thioesterase II; thioesterase III; choloyl-CoA hydrolase; palmitoyl-CoA hydrolase; choloyl-coenzyme A thioesterase; long-chain fatty-acyl-CoA hydrolase; peroxisomal acyl-CoA thioesterase 1; HIV-Nef associated acyl-CoA thioesterase; peroxisomal long-chain acyl-CoA thioesterase 1; peroxisomal acyl-coenzyme A thioester hydrolase 1; PTE1; PTE2; PTE-1; PTE-2; HNAACTE; hACTE-III;

Gene ID [10005](#)

mRNA Refseq [NM_005469](#)

Protein Refseq [NP_005460](#)

MIM [608123](#)

UniProt ID [O14734](#)

Chromosome Location 20pter-p12.3

Pathway [Beta-oxidation of pristanoyl-CoA, organism-specific biosystem](#); [Beta-oxidation of very](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



long chain fatty acids, organism-specific biosystem; Bile acid and bile salt metabolism, organism-specific biosystem; Bile acid biosynthesis, cholesterol =>cholate, organism-specific biosystem; Bile acid biosynthesis, cholesterol => cholate, conserved biosystem;

Function

acyl-CoA hydrolase activity; carboxylesterase activity; choloyl-CoA hydrolase activity; hydrolase activity; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA