

## Recombinant Human ADAR 293 Cell Lysate

**Cat. No.** ADAR-9025HCL    **Lot. No.** (See product label)

### SPECIFICATION

<b>Species</b>	Human
<b>Source</b>	HEK293
<b>Description</b>	Antigen standard for adenosine deaminase, RNA-specific (ADAR), transcript variant 3 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
<b>Components</b>	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
<b>Size</b>	0.1 mg
<b>Storage Instruction</b>	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
<b>Applications</b>	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

## GENE INFORMATION

<b>Gene Name</b>	<a href="#">ADAR adenosine deaminase, RNA-specific [ Homo sapiens ]</a>
<b>Official Symbol</b>	ADAR
<b>Synonyms</b>	ADAR; adenosine deaminase, RNA-specific; G1P1, IFI4, interferon induced protein 4; double-stranded RNA-specific adenosine deaminase; ADAR1; dsRNA adenosine deaminase; interferon-induced protein 4; interferon-inducible protein 4; adenosine deaminase acting on RNA 1-A; 136 kDa double-stranded RNA-binding protein; DSH; G1P1; IFI4; P136; DRADA; DSRAD; IFI-4; K88DSRBP;
<b>Gene ID</b>	<a href="#">103</a>
<b>mRNA Refseq</b>	<a href="#">NM_015841</a>
<b>Protein Refseq</b>	<a href="#">NP_056656</a>
<b>MIM</b>	<a href="#">146920</a>
<b>UniProt ID</b>	<a href="#">P55265</a>
<b>Chromosome Location</b>	1q21.3
<b>Pathway</b>	C6 deamination of adenosine, organism-specific biosystem; Cytokine Signaling in Immune system, organism-specific biosystem; Cytosolic DNA-sensing pathway, organism-specific biosystem; Cytosolic DNA-sensing pathway, conserved biosystem; Formation of editosomes by ADAR proteins, organism-specific biosystem; Gene

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Expression, organism-specific biosystem; Immune System, organism-specific biosystem;

**Function**

DNA binding; double-stranded RNA adenosine deaminase activity; double-stranded RNA adenosine deaminase activity; double-stranded RNA binding; hydrolase activity; metal ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA