

## Recombinant Full Length Human ADD2 Protein, GST-tagged

Cat. No. ADD2-908HF Lot. No. (See product label)

### SPECIFICATION

**Product Overview** Human ADD2 full-length ORF ( AAH65525.1, 1 a.a. - 726 a.a.) recombinant protein with GST-tag at N-terminal.

**Species** Human

**Source** In Vitro Cell Free System

**ProteinLength** 726 amino acids

#### Description

Adducins are heteromeric proteins composed of different subunits referred to as adducin alpha, beta and gamma. The three subunits are encoded by distinct genes and belong to a family of membrane skeletal proteins involved in the assembly of spectrin-actin network in erythrocytes and at sites of cell-cell contact in epithelial tissues. While adducins alpha and gamma are ubiquitously expressed, the expression of adducin beta is restricted to brain and hematopoietic tissues. Adducin, originally purified from human erythrocytes, was found to be a heterodimer of adducins alpha and beta. Polymorphisms resulting in amino acid substitutions in these two subunits have been associated with the regulation of blood pressure in an animal model of hypertension. Heterodimers consisting of alpha and gamma subunits have also been described. Structurally, each subunit is comprised of two distinct domains. The amino-terminal region is protease resistant and globular in shape, while the carboxy-terminal region is protease sensitive. The latter contains multiple phosphorylation sites for protein kinase C, the binding site for calmodulin, and is required for association with spectrin and actin. Alternatively spliced transcript variants have been described.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

[provided by RefSeq, Jun 2010]

**Molecular Mass** 107.2 kDa

**AA Sequence**

MSEETVPEAA SPPPPQGQPY FDRFSEDDPE YMRLRNRAAD LRQDFNLMEQ  
 KKRVTMILQS PSFREELEGL IQEQMKKGNN SSNIWALRQI ADFMASTSHA  
 VFPTSSMNVS MMTPIIDLHT ADSLNLAKGE RLMRCKISSV YRLLDLYGWA  
 QLSDTYVTLR VSKEQDHFLI SPKGVSCSEV TASSLIKVNI LGEVVEKGSS  
 CFPVDTTGFC LHSAYARP DVRCIIHLHT PATAAVSAMK WGLLPVSHNA  
 LLVGDMAYYD FNGEMEQEAD RINLQKCLGP TCKILVLRNH GVVALGDTVE  
 EAFYKIFHLQ AACEIQVSAL SSAGGVENLI LLEQEKHRPH EVGSVQWAGS  
 TFGPMQKSRL GEHEFEALMR MLDNLGYRTG YTYRHFPVQE KTKHKSEVEI  
 PATVTAFFVE EDGAPVPALR QHAQKQKQEK TRWLNTPNAY LRVNVADEVQ  
 RSMGSPRPKT TWMKADEVK SSSGMPRIE NPNQFVPLYT DPQEVLEMRN  
 KIREQNRQDV KSAGPQSLL ASVIAEKSRP PSTESQLMSK GDEDTKDDSE  
 ETVPNPFSQL TDQEELEYK EVERKKLELD GEKETAPEEP GSPAKSAPAS  
 PVQSPAKEAE TKSPLVSPK SLEEGTKKTE TSKAATTEPE TTQPEGVVVN  
 GREEEQTAEE ILSKGLSQMT TSADTDVDTS KDKTESVTSG PMSPEGSPSK  
 SPSKKKKKFR TPSFLKSKK KEKVES

**Applications**

Enzyme-linked Immunoabsorbent Assay  
 Western Blot (Recombinant protein)  
 Antibody Production  
 Protein Array

**Storage**

Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.

**Storage Buffer**

50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

**GENE INFORMATION**

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



<b>Gene Name</b>	ADD2 adducin 2 (beta) [ Homo sapiens ]
<b>Official Symbol</b>	ADD2
<b>Synonyms</b>	ADD2; adducin 2 (beta); beta-adducin; ADDB; erythrocyte adducin subunit beta
<b>Gene ID</b>	119
<b>mRNA Refseq</b>	NM_001185054
<b>Protein Refseq</b>	NP_001171983
<b>MIM</b>	102681
<b>UniProt ID</b>	P35612

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA