

## Recombinant Human ADI1 293 Cell Lysate

Cat. No. ADI1-9011HCL    Lot. No. (See product label)

### SPECIFICATION

|                            |   |
|----------------------------|---|
| <b>Species</b>             | Human   |
| <b>Source</b>              | HEK293  |
| <b>Description</b>         | Antigen standard for acireductone dioxygenase 1 (ADI1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.  |
| <b>Components</b>          | This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol). |
| <b>Size</b>                | 0.1 mg  |
| <b>Storage Instruction</b> | Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.   |
| <b>Applications</b>        | ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the   |

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

## GENE INFORMATION

**Gene Name** [ADI1 acireductone dioxygenase 1 \[ Homo sapiens \]](#)

**Official Symbol** ADI1

**Synonyms**

ADI1; acireductone dioxygenase 1; 1,2-dihydroxy-3-keto-5-methylthiopentene dioxygenase; APL1; ARD; FLJ10913; HMFT1638; membrane type 1 matrix metalloproteinase cytoplasmic tail binding protein 1; MTCBP 1; SIPL; submergence induced protein 2; submergence-induced protein-like factor; MT1-MMP cytoplasmic tail-binding protein-1; acireductone dioxygenase (Fe(2+)-requiring); acireductone dioxygenase (Ni(2+)-requiring); membrane-type 1 matrix metalloproteinase cytoplasmic tail binding protein-1; Fe-ARD; MTCBP1; Ni-ARD;

**Gene ID** [55256](#)

**mRNA Refseq** [NM\\_018269](#)

**Protein Refseq** [NP\\_060739](#)

**MIM** [613400](#)

**UniProt ID** [Q9BV57](#)

**Chromosome Location** 2p25.2

**Pathway**

Cysteine and methionine metabolism, organism-specific biosystem; Cysteine and methionine metabolism, conserved biosystem; Metabolic pathways, organism-specific

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



biosystem; Metabolism, organism-specific biosystem; Metabolism of amino acids and derivatives, organism-specific biosystem; Metabolism of polyamines, organism-specific biosystem; Methionine salvage pathway, organism-specific biosystem;

**Function**

acireductone dioxygenase [iron(II)-requiring] activity; metal ion binding; oxidoreductase activity; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA