

Recombinant Human AIFM1 293 Cell Lysate

Cat. No. AIFM1-8954HCL **Lot. No.** (See product label)

SPECIFICATION

| | |
|----------------------------|---|
| Species | Human |
| Source | HEK293 |
| Description | Antigen standard for apoptosis-inducing factor, mitochondrion-associated, 1 (AIFM1), nuclear gene encoding mitochondrial protein, transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection. |
| Components | This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol). |
| Size | 0.1 mg |
| Storage Instruction | Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment. |
| Applications | ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

| | |
|----------------------------|--|
| Gene Name | AIFM1 apoptosis-inducing factor, mitochondrion-associated, 1 [Homo sapiens] |
| Official Symbol | AIFM1 |
| Synonyms | AIFM1; apoptosis-inducing factor, mitochondrion-associated, 1; PDCD8, programmed cell death 8 (apoptosis inducing factor); apoptosis-inducing factor 1, mitochondrial; AIF; striatal apoptosis-inducing factor; programmed cell death 8 (apoptosis-inducing factor); PDCD8; COXPD6; MGC111425; |
| Gene ID | 9131 |
| mRNA Refseq | NM_001130846 |
| Protein Refseq | NP_001124318 |
| MIM | 300169 |
| UniProt ID | O95831 |
| Chromosome Location | Xq26.1 |
| Pathway | Apoptosis, organism-specific biosystem; Apoptosis, conserved biosystem; Apoptosis Modulation by HSP70, organism-specific biosystem; Ceramide signaling pathway, organism-specific biosystem; |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

DNA binding; electron carrier activity; flavin adenine dinucleotide binding;
oxidoreductase activity; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA