

Recombinant Human ANKRD1 293 Cell Lysate

Cat. No. ANKRD1-8858HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for ankyrin repeat domain 1 (cardiac muscle) (ANKRD1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	ANKRD1 ankyrin repeat domain 1 (cardiac muscle) [Homo sapiens]
Official Symbol	ANKRD1
Synonyms	ANKRD1; ankyrin repeat domain 1 (cardiac muscle); ankyrin repeat domain-containing protein 1; ALRP; C 193; CARP; CVARP; MCARP; liver ankyrin repeat domain 1; cardiac ankyrin repeat protein; cytokine-inducible nuclear protein; cytokine-inducible gene C-193 protein; C-193; bA320F15.2;
Gene ID	27063
mRNA Refseq	NM_014391
Protein Refseq	NP_055206
MIM	609599
UniProt ID	Q15327
Chromosome Location	10q23.33
Pathway	Fatty acid, triacylglycerol, and ketone body metabolism, organism-specific biosystem; Hypertrophy Model, organism-specific biosystem; Metabolism, organism-specific biosystem; Metabolism of lipids and lipoproteins, organism-specific biosystem; PPARA Activates Gene Expression, organism-specific biosystem; Regulation of Lipid Metabolism by Peroxisome proliferator-activated receptor alpha (PPARalpha),

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



organism-specific biosystem;

Function

DNA binding; R-SMAD binding; RNA polymerase II transcription coactivator activity; RNA polymerase II transcription factor binding; histone deacetylase binding; p53 binding; protein binding; titin binding; transcription corepressor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA