

Recombinant Human AP2M1 293 Cell Lysate

Cat. No. AP2M1-8813HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for adaptor-related protein complex 2, mu 1 subunit (AP2M1), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [AP2M1 adaptor-related protein complex 2, mu 1 subunit \[Homo sapiens \]](#)

Official Symbol [AP2M1](#)

Synonyms

AP2M1; adaptor-related protein complex 2, mu 1 subunit; CLAPM1; AP-2 complex subunit mu; AP 2 mu 2 chain; AP50; clathrin adaptor complex AP2; mu subunit; clathrin assembly protein complex 2 medium chain; clathrin coat adaptor protein AP50; clathrin associated/assembly/adaptor protein; medium 1; HA2 50 kDA subunit; mu2; plasma membrane adaptor AP 2 50kDA protein; adaptin-mu2; AP-2 mu chain; AP-2 mu 2 chain; clathrin coat assembly protein AP50; clathrin coat-associated protein AP50; adaptor protein complex AP-2 subunit mu; clathrin adaptor complex AP2, mu subunit; plasma membrane adaptor AP-2 50kDA protein; plasma membrane adaptor AP-2 50 kDa protein; adapter-related protein complex 2 mu subunit; clathrin-associated/assembly/adaptor protein, medium 1;

Gene ID [1173](#)

mRNA Refseq [NM_001025205](#)

Protein Refseq [NP_001020376](#)

MIM [601024](#)

UniProt ID [Q96CW1](#)

Chromosome Location [3q28](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Pathway

Arf1 pathway, organism-specific biosystem; Axon guidance, organism-specific biosystem; Developmental Biology, organism-specific biosystem; Disease, organism-specific biosystem; EGFR downregulation, organism-specific biosystem; Endocrine and other factor-regulated calcium reabsorption, organism-specific biosystem; Endocrine and other factor-regulated calcium reabsorption, conserved biosystem;

Function

lipid binding; protein binding; transporter activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA