

## Recombinant Human APEX1 protein, His-tagged

**Cat. No.** APEX1-46H    **Lot. No.** (See product label)

### SPECIFICATION

|                         |  |
|-------------------------|--|
| <b>Product Overview</b> | Recombinant Human APEX1 protein, fused with N-terminal His tag was expressed in E.coli.                                    |
| <b>Species</b>          | Human  |
| <b>Source</b>           | E.coli   |
| <b>ProteinLength</b>    | 1-318  |
| <b>Form</b>             | Solution of purified recombinant protein in 50 mM Tris HCl, pH 8.0, 300 mM NaCl, 1 mM EDTA, 1 mM TCEP, 20% glycerol (w/v). |
| <b>Molecular Mass</b>   | 38.9 kDa   |
| <b>Storage</b>          | Store at -70centigrade. Thaw quickly and store on ice before use. Avoid repeated freezing and thawing cycles.              |

### GENE INFORMATION

|                        |  |
|------------------------|--|
| <b>Gene Name</b>       | APEX1 APEX nuclease (multifunctional DNA repair enzyme) 1 [ Homo sapiens ]   |
| <b>Official Symbol</b> | APEX1  |
| <b>Synonyms</b>        | APEX1; APEX nuclease (multifunctional DNA repair enzyme) 1; APEX, APEX nuclease (multifunctional DNA repair enzyme); DNA-(apurinic or apyrimidinic site) |

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

lyase; APE; APE 1; APEN; APX; HAP1; REF 1; REF1; AP lyase; protein REF-1; redox factor-1; AP endonuclease class I; apurinic-apyrimidinic endonuclease 1; apurinic/apyrimidinic (abasic) endonuclease; deoxyribonuclease (apurinic or apyrimidinic); APE1; APEX;

**Gene ID** [328](#)

**mRNA Refseq** [NM\\_001244249](#)

**Protein Refseq** [NP\\_001231178](#)

**MIM** [107748](#)

**UniProt ID** [P27695](#)

**Chromosome Location** 14q11.2

**Pathway** BER complex, organism-specific biosystem; BER complex, conserved biosystem; Base Excision Repair, organism-specific biosystem; Base excision repair, organism-specific biosystem; Base excision repair, conserved biosystem; Base-free sugar-phosphate removal via the single-nucleotide replacement pathway, organism-specific biosystem; DNA Repair, organism-specific biosystem;

**Function** 3-5 exonuclease activity; 3-5 exonuclease activity; DNA binding; DNA-(apurinic or apyrimidinic site) lyase activity; DNA-(apurinic or apyrimidinic site) lyase activity; RNA binding; chromatin DNA binding; damaged DNA binding; endodeoxyribonuclease activity; endonuclease activity; hydrolase activity; lyase activity; metal ion binding; oxidoreductase activity; phosphodiesterase I activity; phosphoric diester hydrolase activity; protein binding; ribonuclease H activity; site-specific endodeoxyribonuclease activity, specific for altered base; transcription coactivator activity; transcription

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



corepressor activity; uracil DNA N-glycosylase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA