

Recombinant Human APEX1 293 Cell Lysate

Cat. No. APEX1-8797HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for APEX nuclease (multifunctional DNA repair enzyme) 1 (APEX1), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [APEX1 APEX nuclease \(multifunctional DNA repair enzyme\) 1 \[Homo sapiens \]](#)

Official Symbol [APEX1](#)

Synonyms [APEX1](#); [APEX nuclease \(multifunctional DNA repair enzyme\) 1](#); [APEX](#), [APEX nuclease \(multifunctional DNA repair enzyme\)](#); [DNA-\(apurinic or apyrimidinic site\) lyase](#); [APE](#); [APE 1](#); [APEN](#); [APX](#); [HAP1](#); [REF 1](#); [REF1](#); [AP lyase](#); [protein REF-1](#); [redox factor-1](#); [AP endonuclease class I](#); [apurinic-apyrimidinic endonuclease 1](#); [apurinic/apyrimidinic \(abasic\) endonuclease](#); [deoxyribonuclease \(apurinic or apyrimidinic\)](#); [APE1](#); [APEX](#);

Gene ID [328](#)

mRNA Refseq [NM_080648](#)

Protein Refseq [NP_542379](#)

MIM [107748](#)

UniProt ID [P27695](#)

Chromosome Location [14q11.2](#)

Pathway [BER complex, organism-specific biosystem](#); [BER complex, conserved biosystem](#); [Base Excision Repair, organism-specific biosystem](#); [Base excision repair, organism-specific biosystem](#); [Base excision repair, conserved biosystem](#); [Base-free sugar-](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

phosphate removal via the single-nucleotide replacement pathway, organism-specific biosystem; DNA Repair, organism-specific biosystem;

Function

3-5 exonuclease activity; 3-5 exonuclease activity; DNA binding; DNA-(apurinic or apyrimidinic site) lyase activity; DNA-(apurinic or apyrimidinic site) lyase activity; RNA binding; chromatin DNA binding; damaged DNA binding; endodeoxyribonuclease activity; endonuclease activity; hydrolase activity; lyase activity; metal ion binding; oxidoreductase activity; phosphodiesterase I activity; phosphoric diester hydrolase activity; protein binding; ribonuclease H activity; site-specific endodeoxyribonuclease activity, specific for altered base; transcription coactivator activity; transcription corepressor activity; uracil DNA N-glycosylase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA