

Native Human Apolipoprotein E

Cat. No. APOE-5283H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Native human APOE was expressed in Human Plasma.
Species	Human
Source	Human Plasma
Description	The human Apolipoprotein E (APOE), is 299 amino acids long and transports lipoproteins, fat-soluble vitamins, and cholesterol into the lymph system and then into the blood. APOE is synthesized principally in the liver, but has also been found in other tissues such as the brain, kidneys, and spleen. In the nervous system, non-neuronal cell types, most notably astroglia and microglia, are the primary producers of APOE, while neurons preferentially express the receptors for APOE. Concentration in normal plasma is 5 mg/dl. APOE is involved with triglyceride, phospholipid, cholesteryl ester, and cholesterol transport in and out of cells and is a ligand for LDL receptors.
Form	Liquid in 75mM PBS pH 7.4 + 75 mM NaCl + 0.5 M EDTA.
Molecular Weight	34-37 kDa
Purity	> 98% by SDS-PAGE
Concentration	Typically 1 mg/mL
Storage	Store at -20 °C. Avoid repeated freeze-thaw cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathways

Alzheimer"s disease; Chylomicron-mediatedlipid transport; HDL-mediated lipid transport; Lipid digestion; Lipoproteinmetabolism; Metabolism of lipids and lipoproteins; Statin Pathway

GENE INFORMATION

Gene Name

[APOE](#) apolipoprotein E [Homosapiens]

Official Symbol

[APOE](#)

Synonyms

APOE; apolipoproteinE; AD2;LPG; LDLCQ5; MGC1571; apolipoprotein E; apo-E; apolipoprotein E3;OTTHUMP00000159143; OTTHUMP00000197075; OTTHUMP00000197076;OTTHUMP00000197077

Gene ID

[348](#)

mRNA Refseq

[NM_000041](#)

Protein Refseq

[NP_000032](#)

MIM

[107741](#)

UniProt ID

[P02649](#)

Chromosome Location

19q13.31

Function

antioxidantactivity; beta-amyloid binding; cholesterol transporter activity; heparinbinding; identical protein binding; lipid binding; lipid transporteractivity; lipoprotein particle binding; low-density lipoprotein particlereceptor binding; metal chelating activity; phosphatidylcholine-sterolO-acyltransferase activator activity;

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



phospholipid binding; protein binding; protein heterodimerization activity; tau protein binding; very-low-density lipoprotein particle receptor binding

PDB rendering based on 1b68.



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA