

Recombinant Human apolipoprotein H (beta-2-glycoprotein I), His-tagged

Cat. No. APOH-393H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	APOH, 20-345aa, Human, His tag, E.coli
Species	Human
Source	E.coli
ProteinLength	20-345 a.a.
Description	Apolipoprotein H, also known as APOH, binds to various kinds of negatively charged substances such as heparin, phospholipids, and dextran sulfate. This protein may prevent activation of the intrinsic blood coagulation cascade by binding to phospholipids on the surface of damaged cells. Recombinant human APOH protein, fused to His-tag at N-terminus, was expressed in E.coli.
Form	Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 2M urea, 10% glycerol
Molecular Mass	38.6 kDa (349aa)
AA Sequence	<p>MGSSHHHHHH SGLVPRGSH MSGRTPCKP DDLPFSTVVP LKTFYEPGEE ITYSCKPGYV SRGGMRKFIC PLTGLWPINT LKCTPRVCPF AGILENGAVR YTTFEYPNTI SFSCNTGFYL NGADSAKCTE EGKWSPPELV CAPIICPPPS IPTFATLRVY KPSAGNNSLY RDTAVFECLP QHAMFGNDTI TCTTHGNWTK LPECREVKCP FPSRPDNGFV NYPAKPTLYY KDKATFGCHD GYSLDGPEEI ECTKLGNWSA MPSCKASCKV PVKKATVVYQ GERVKIQEKF KNGMLHGDKV</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SFFCKNKEKK CSYTEDAQCI DGTIEVPKCF KEHSSLAFWK TDASDVKPC

Purity >85% by SDS - PAGE

Storage Can be stored at +4C short term (1-2 weeks). For long term storage, aliquot and store at -20C or -70C. Avoid repeated freezing and thawing cycles.

Concentration 0.5 mg/ml (determined by Bradford assay)

GENE INFORMATION

Gene Name [APOH apolipoprotein H \(beta-2-glycoprotein I\) \[Homo sapiens \]](#)

Official Symbol APOH

Synonyms APOH; apolipoprotein H (beta-2-glycoprotein I); B2G1; beta-2-glycoprotein 1; beta 2 glycoprotein I; BG; B2GPI; apo-H; beta(2)GPI; APC inhibitor; antidiolipin cofactor; activated protein C-binding protein; B2GP1;

Gene ID [350](#)

mRNA Refseq [NM_000042](#)

Protein Refseq [NP_000033](#)

MIM [138700](#)

UniProt ID [P02749](#)

Chromosome Location 17q23-qter

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

eukaryotic cell surface binding; glycoprotein binding; heparin binding; lipid binding; lipoprotein lipase activator activity; phospholipid binding; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA