

# Human AR Knockdown Cell Lysate

**Cat. No.** AR-047HKCL    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	WB-validated AR Knockdown HeLa Cell Lysate
<b>Species</b>	Human
<b>Source</b>	HeLa
<b>Description</b>	<p>The androgen receptor gene is more than 90 kb long and codes for a protein that has 3 major functional domains: the N-terminal domain, DNA-binding domain, and androgen-binding domain. The protein functions as a steroid-hormone activated transcription factor. Upon binding the hormone ligand, the receptor dissociates from accessory proteins, translocates into the nucleus, dimerizes, and then stimulates transcription of androgen responsive genes. This gene contains 2 polymorphic trinucleotide repeat segments that encode polyglutamine and polyglycine tracts in the N-terminal transactivation domain of its protein. Expansion of the polyglutamine tract from the normal 9-34 repeats to the pathogenic 38-62 repeats causes spinal bulbar muscular atrophy (SBMA, also known as Kennedy's disease). Mutations in this gene are also associated with complete androgen insensitivity (CAIS). Alternative splicing results in multiple transcript variants encoding different isoforms.</p>
<b>Form</b>	Cell-Tissue Lysis buffer
<b>Molecular Mass</b>	99 kDa
<b>Notes</b>	<p>Instruction of use: This knockdown cell lysate should be paired with wild-type HeLa cell lysate for use. For Western blotting, we recommend running wild-type and</p>

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



	knockdown lysates on the same gel, and loading each well with equal volume and equal amount of total proteins.
<b>Storage</b>	Store at -20 centigrade for two years.
<b>Concentration</b>	Lot-specific
<b>Shipping</b>	Blue Ice
<b>Components</b>	1 vial of 100 µg WT HeLa cell lysate 1 vial of 100 µg AR KD HeLa cell lysate
<b>Protein Families</b>	Druggable Genome, Nuclear Hormone Receptor, Transcription Factors
<b>Protein Pathways</b>	Oocyte meiosis, Pathways in cancer, Prostate cancer
<b>Lysate QC</b>	RT-qPCR; Western Blotting (WB)

## GENE INFORMATION

<b>Gene Name</b>	AR androgen receptor [ Homo sapiens (human) ]
<b>Official Symbol</b>	AR
<b>Synonyms</b>	AR; androgen receptor; DHTR, dihydrotestosterone receptor, SBMA, spinal and bulbar muscular atrophy; AIS; HUMARA; Kennedy disease; NR3C4; SMAX1; testicular feminization; dihydrotestosterone receptor; androgen nuclear receptor variant 2; nuclear receptor subfamily 3 group C member 4; KD; TFM; DHTR; SBMA; HYSP1;
<b>Gene ID</b>	367

Tel: 1-631-559-9269 1-516-512-3133

Email: [info@creative-biomart.com](mailto:info@creative-biomart.com) Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA



mRNA Refseq	NM_000044
Protein Refseq	NP_000035
MIM	313700
UniProt ID	P10275

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA