

Recombinant Human ARFGAP1 293 Cell Lysate

Cat. No. ARFGAP1-8755HCL **Lot. No.** (See product label)

SPECIFICATION

| | |
|----------------------------|---|
| Species | Human |
| Source | HEK293 |
| Description | Antigen standard for ADP-ribosylation factor GTPase activating protein 1 (ARFGAP1), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection. |
| Components | This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol). |
| Size | 0.1 mg |
| Storage Instruction | Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment. |
| Applications | ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [ARFGAP1 ADP-ribosylation factor GTPase activating protein 1 \[Homo sapiens \]](#)

Official Symbol ARFGAP1

Synonyms ARFGAP1; ADP-ribosylation factor GTPase activating protein 1; ADP ribosylation factor 1 GTPase activating protein , ARF1GAP; ADP-ribosylation factor GTPase-activating protein 1; bA261N11.3; FLJ10767; ARF1 GAP; ARF GAP 1; GAP protein; ARF1-directed GTPase-activating protein; ADP-ribosylation factor 1 GTPase activating protein; ADP-ribosylation factor 1 GTPase-activating protein; ARF1GAP; HRIHFB2281; MGC39924;

Gene ID [55738](#)

mRNA Refseq [NM_018209](#)

Protein Refseq [NP_060679](#)

MIM [608377](#)

UniProt ID [Q8N6T3](#)

Chromosome Location 20q13.33

Pathway Activation of Chaperone Genes by XBP1(S), organism-specific biosystem; Activation of Chaperones by IRE1alpha, organism-specific biosystem; Arf1 pathway, organism-specific biosystem; COPI Mediated Transport, organism-specific biosystem; Diabetes

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



pathways, organism-specific biosystem; Disease, organism-specific biosystem;
Endocytosis, organism-specific biosystem;

Function

ARF GTPase activator activity; metal ion binding; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA