

Recombinant Human ATP5H 293 Cell Lysate

Cat. No. ATP5H-8599HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for ATP synthase, H ⁺ transporting, mitochondrial F0 complex, subunit d (ATP5H), nuclear gene encoding mitochondrial protein, transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [ATP5H ATP synthase, H+ transporting, mitochondrial Fo complex, subunit d \[Homo sapiens \]](#)

Official Symbol [ATP5H](#)

Synonyms [ATP5H](#); ATP synthase, H+ transporting, mitochondrial Fo complex, subunit d; ATP synthase, H+ transporting, mitochondrial F0 complex, subunit d; ATP synthase subunit d, mitochondrial; [ATP5JD](#); [ATPQ](#); My032 protein; ATPase subunit d; ATP synthase D chain, mitochondrial; ATP synthase, H+ transporting, mitochondrial F1F0, subunit d;

Gene ID [10476](#)

mRNA Refseq [NM_001003785](#)

Protein Refseq [NP_001003785](#)

UniProt ID [O75947](#)

Chromosome Location 17q25

Pathway [Alzheimers disease, organism-specific biosystem](#); [Alzheimers disease, conserved biosystem](#); [Electron Transport Chain, organism-specific biosystem](#); [F-type ATPase, eukaryotes, organism-specific biosystem](#); [Formation of ATP by chemiosmotic coupling, organism-specific biosystem](#); [Huntingtons disease, organism-specific](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



biosystem; Huntingtons disease, conserved biosystem;

Function

contributes_to ATPase activity; hydrogen ion transmembrane transporter activity;
transmembrane transporter activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA