

Recombinant Human ATP6AP2 293 Cell Lysate

Cat. No. ATP6AP2-8591HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for ATPase, H ⁺ transporting, lysosomal accessory protein 2 (ATP6AP2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [ATP6AP2 ATPase, H+ transporting, lysosomal accessory protein 2 \[Homo sapiens \]](#)

Official Symbol [ATP6AP2](#)

Synonyms

ATP6AP2; ATPase, H+ transporting, lysosomal accessory protein 2; ATP6IP2, ATPase, H+ transporting, lysosomal interacting protein 2; renin receptor; APT6M8 9; ATP6M8 9; M8 9; N14F; V-ATPase M8.9 subunit; renin/prorenin receptor; ER-localized type I transmembrane adaptor; embryonic liver differentiation factor 10; ATPase H(+)-transporting lysosomal-interacting protein 2; ATPase, H+ transporting, lysosomal interacting protein 2; vacuolar ATP synthase membrane sector-associated protein M8-9; vacuolar proton ATP synthase membrane sector associated protein M8-9; ATPase, H+ transporting, lysosomal (vacuolar proton pump) membrane sector associated protein M8-9; M8-9; MRXE; XMRE; HT028; ELDF10; ATP6IP2; MSTP009; APT6M8-9; ATP6M8-9; MGC99577;

Gene ID [10159](#)

mRNA Refseq [NM_005765](#)

Protein Refseq [NP_005756](#)

MIM [300556](#)

UniProt ID [O75787](#)

Chromosome Location Xp11.4

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Pathway

ACE Inhibitor Pathway, organism-specific biosystem; Oxidative phosphorylation, organism-specific biosystem; Wnt signaling network, organism-specific biosystem;

Function

protein binding; receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA