

Recombinant Human ATP6V1G1 293 Cell Lysate

Cat. No. ATP6V1G1-8577HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for ATPase, H ⁺ transporting, lysosomal 13kDa, V1 subunit G1 (ATP6V1G1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	ATP6V1G1 ATPase, H ⁺ transporting, lysosomal 13kDa, V1 subunit G1 [Homo sapiens]
Official Symbol	ATP6V1G1
Synonyms	ATP6V1G1; ATPase, H ⁺ transporting, lysosomal 13kDa, V1 subunit G1; ATP6G1, ATP6J, ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump), member J , ATPase, H ⁺ transporting, lysosomal 13kDa, V1 subunit G isoform 1; V-type proton ATPase subunit G 1; ATP6G; ATP6GL; DKFZp547P234; Vma10; V-ATPase subunit G 1; V-ATPase 13 kDa subunit 1; vacuolar H(+)-ATPase subunit G 1; vacuolar proton pump subunit G 1; vacuolar proton pump subunit M16; vacuolar ATP synthase subunit M16; ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump), member J; ATP6J; ATP6G1;
Gene ID	9550
mRNA Refseq	NM_004888
Protein Refseq	NP_004879
MIM	607296
UniProt ID	O75348
Chromosome Location	9q33.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway

Collecting duct acid secretion, organism-specific biosystem; Collecting duct acid secretion, conserved biosystem; Epithelial cell signaling in Helicobacter pylori infection, organism-specific biosystem; Epithelial cell signaling in Helicobacter pylori infection, conserved biosystem; Insulin receptor recycling, organism-specific biosystem; Iron uptake and transport, organism-specific biosystem; Metabolic pathways, organism-specific biosystem;

Function

ATPase activity; ATPase binding; hydrogen-exporting ATPase activity, phosphorylative mechanism; hydrolase activity, acting on acid anhydrides, catalyzing transmembrane movement of substances;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA