

## Recombinant Human AURKA 293 Cell Lysate

**Cat. No.** AURKA-8564HCL    **Lot. No.** (See product label)

### SPECIFICATION

<b>Species</b>	Human
<b>Source</b>	HEK293
<b>Description</b>	Antigen standard for aurora kinase A (AURKA), transcript variant 4 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
<b>Components</b>	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
<b>Size</b>	0.1 mg
<b>Storage Instruction</b>	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
<b>Applications</b>	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

## GENE INFORMATION

<b>Gene Name</b>	AURKA aurora kinase A [ Homo sapiens ]
<b>Official Symbol</b>	AURKA
<b>Synonyms</b>	AURKA; aurora kinase A; serine/threonine kinase 6 , serine/threonine kinase 15 , STK6, STK15; ARK1; AurA; BTAK; PPP1R47; protein phosphatase 1; regulatory subunit 47; STK7; ARK-1; hARK1; aurora 2; IPL1-related kinase; aurora-related kinase 1; aurora/IPL1-like kinase; serine/threonine kinase 6; aurora/IPL1-related kinase 1; breast tumor-amplified kinase; breast-tumor-amplified kinase; serine/threonine-protein kinase 6; serine/threonine protein kinase 15; serine/threonine-protein kinase 15; serine/threonine-protein kinase aurora-A; protein phosphatase 1, regulatory subunit 47; AIK; AURA; STK6; STK15; AURORA2; MGC34538;
<b>Gene ID</b>	6790
<b>mRNA Refseq</b>	NM_198435
<b>Protein Refseq</b>	NP_940837
<b>MIM</b>	603072
<b>UniProt ID</b>	O14965
<b>Chromosome Location</b>	20q13

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Pathway**

APC/C-mediated degradation of cell cycle proteins, organism-specific biosystem; APC/C:Cdh1 mediated degradation of Cdc20 and other APC/C:Cdh1 targeted proteins in late mitosis/early G1, organism-specific biosystem; Aurora A signaling, organism-specific biosystem; Aurora B signaling, organism-specific biosystem; Cell Cycle, organism-specific biosystem; Cell Cycle, Mitotic, organism-specific biosystem; Oocyte meiosis, organism-specific biosystem;

**Function**

ATP binding; kinase activity; nucleotide binding; protein binding; protein kinase activity; protein kinase binding; protein serine/threonine kinase activity; protein serine/threonine/tyrosine kinase activity; ubiquitin protein ligase binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA