

Recombinant Mouse Adipoq

Cat. No. Adipoq-216M **Lot. No.** (See product label)

SPECIFICATION

Species	Mouse
Source	HEK293
Description	Adipoq (also referred to as GBP-28, apM1, AdipoQ and Acrp30) is a protein which in humans is encoded by the Adipoq gene.
Form	Filtered (0,4 µm) and lyophilized in 0.5 mg/mL in 0.05 M phosphate buffer, 0.075 M NaCl, pH 7.4.
Research topic	Animal studies; Energy metabolism and body weight regulation.
Purity	>98%
Reconstitution	Add deionized water to prepare a working stock solution of approximately 0.5 mg/mL and let the lyophilized pellet dissolve completely. Product is not sterile! Please filter the product by an appropriate sterile filter before using it in the cell culture.
Applications	Cell culture and/or animal studies; ELISA; Western blotting
Quality Control Test	BCA to determine quantity of the protein; SDS PAGE to determine purity of the protein; GFC to determine purity of the protein; LAL to determine quantity of endotoxin
Sequences of amino	EDDVTTTEEL APALVPPPKG TCAGWMAGIP GHPGHNGTPG RDGRDGTPE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

acids

KGEKGDAGLL GPKGETGDVG MTGAEGPRGF PGTPGRKGEF GEAAYMYRSA
 FSVGLETRVT VPNVPIRFTK IFYNQQNHVD GSTGKFYCNF PGLYYFSYHI
 TVYMKDVKVS LFKKDKAVLF TYDQYQEKNV DQASGSVLLH LEVGDQVWLQ
 VYGDGDHNGL YADNVNDSTF TGFLLYHDTN DYKDDDDK

Storage

Store lyophilized protein at -20°C. Lyophilized protein remains stable until the expiry date when stored at -20°C. Aliquot reconstituted protein to avoid repeated freezing/thawing cycles and store at -80°C for long term storage. Reconstituted protein can be stored at 4°C for a limited period of time; it does not show any change after one week at 4°C.

GENE INFORMATION

Gene Name [Adipoq adiponectin, C1Q and collagen domain containing \[Mus musculus \]](#)

Official Symbol [Adipoq](#)

Synonyms Adipoq; adiponectin, C1Q and collagen domain containing; APN; Acdc; apM1; 30kDa; GBP28; adipo; Acrp30; adiponectin; adipocyte-specific protein AdipoQ; adipocyte complement related protein; 30 kDa adipocyte complement-related protein; adipocyte complement-related 30 kDa protein; adipocyte, C1Q and collagen domain containing; adipocyte, C1q and collagen domain-containing protein

Gene ID [11450](#)

mRNA Refseq [NM_009605](#)

Protein Refseq [NP_033735](#)

Chromosome Location 16 B3-B4; 16 16.0 cM

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Pathway	Adipocytokine signaling pathway; Adipogenesis; Leptin and adiponectin; PPAR signaling pathway; Type II diabetes mellitus
Function	eukaryotic cell surface binding; hormone activity; protein binding; protein homodimerization activity; receptor binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA