

# Human Adipose Subcutaneous Diabetic Disease Lysate

Cat. No. Adipose-6H Lot. No. (See product label)

## SPECIFICATION

**Species** Human

**Source** Human Subcutaneous Adipose

**Concentration** 2 mg/mL or better

**Tissue Type** Adipose

**Shipping** Dry ice

**Preparation method** Human subcutaneous adipose tissue lysate was prepared by homogenization using a proprietary technique. The tissue was frozen in liquid nitrogen immediately after excision and then stored at -70°C. The human subcutaneous adipose tissue total protein is provided in a buffer including HEPES (pH7.9), MgCl<sub>2</sub>, KCl, EDTA, Sucrose, Glycerol, Sodium deoxycholate, NP-40, and a cocktail of protease inhibitors. For quality control purposes, the subcutaneous adipose tissue pattern on SDS-PAGE gel is shown to be consistent for each lot by visualization with coomassie blue staining. The subcutaneous adipose tissue is then Western analyzed by either GAPDH or  $\beta$ -actin antibody, and the expression level is consistent with each lot.

**Diagnosis** Diseased

**Storage Buffer** HEPES pH 7.9, MgCl<sub>2</sub>, KCl, EDTA, Sucrose, Glycerol, Sodium deoxycholate, and NP-40.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



**Storage Instruction**

Store at 2-8°C for continuous use. For extended storage, freeze working aliquots at -70°C. Repeated freezing and thawing is not recommended. Under proper storage conditions the shelf life is half a year from the date of receipt.

**Applications**

Adipose Subcutaneous lysate is for use in Western blotting, 10 µg to 20 µg per lane is recommended for mini gel.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA