

Recombinant Human B3GNT3 293 Cell Lysate

Cat. No. B3GNT3-8543HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 3 (B3GNT3) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	B3GNT3 UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 3 [Homo sapiens]
Official Symbol	B3GNT3
Synonyms	B3GNT3; UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 3; TMEM3; B3GN T3; B3GNT 3; beta 1; 3 N acetylglucosaminyltransferase bGnT 3; beta3Gn T3; HP10328; putative type II membrane protein; transmembrane protein 3; beta3GalT8; beta-3-Gx-T8; beta-1,3-Gn-T3; beta-1,3-GalTase 8; core1-beta3GlcNAcT; beta-1,3-N-acetylglucosaminyltransferase bGnT-3; UDP-Gal:beta-GlcNAc beta-1,3-galactosyltransferase 8; core 1 extending beta-1,3-N-acetylglucosaminyltransferase; UDP-galactose:beta-N-acetylglucosamine beta-1,3-galactosyltransferase 8; B3GN-T3; B3GNT-3; B3GAL-T8; beta3Gn-T3;
Gene ID	10331
mRNA Refseq	NM_014256
Protein Refseq	NP_055071
MIM	605863
UniProt ID	Q9Y2A9
Chromosome Location	19p13.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Pathway

Glycosphingolipid biosynthesis - lacto and neolacto series, organism-specific biosystem; Glycosphingolipid biosynthesis - lacto and neolacto series, conserved biosystem; Metabolic pathways, organism-specific biosystem; Metabolism of proteins, organism-specific biosystem; O-linked glycosylation of mucins, organism-specific biosystem; Post-translational protein modification, organism-specific biosystem;

Function

galactosyltransferase activity; transferase activity, transferring glycosyl groups;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA