

Recombinant Equine BAFF

Cat. No. BAFF-91E **Lot. No.** (See product label)

SPECIFICATION

| | |
|-------------------------|---|
| Product Overview | Equine BAFF was produced in yeast and therefore does not have endotoxin, is naturally folded, and post-translationally modified. |
| Species | Equine |
| Source | Yeast |
| Description | <p>BAFF (B-cell Activation Factor), also known as Tumor Necrosis Factor Superfamily member 13B (TNFSF13B) is a member of the tumor necrosis factor ligand (TNF) ligand family. Nineteen cytokines have been identified as part of the TNF family on the basis of sequence, functional, and structural similarities. Family members include TNF beta (TNFSF1), TNF alpha (TNFSF2), Lymphotoxin beta (TNFSF3), OX40 Ligand (TNFSF4), CD40 Ligand (TNFSF5), Fas Ligand (TNFSF6), CD27 Ligand (TNFSF7), CD30 Ligand (TNFSF8), 4-1BB Ligand (TNFSF9), TRAIL (TNFSF10), TRANCE/RANKL (TNFSF11), TWEAK (TNFSF12), APRIL (TNFSF13), BAFF (TNFSF13B), LIGHT (TNFSF14), TL1A/VEGI (TNFSF15), and GITR Ligand (TNFSF18). BAFF is expressed in B cell lineage cells, and acts as a potent B cell activator. It has been also shown to play an important role in the proliferation and differentiation of B cells.</p> |
| Form | Lyophilized |
| Molecular Mass | 17.0 kDa |
| AA Sequence | AAQDSEEA VT QDCLQLIADS DTPTIRKGAY TFVPWLLSFK RGKALEEKEN |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



KILVKETGYF FIYGQVLYTD NTFAMGHLIQ RKKVHVFGDE LSLVTLFRCI
QNMPETLPNN SCYSAGIAKL EEGDELQLAI PREDAKISRD GDGTFFGALK LL (152)

Applications


The Equine BAFF protein can be used in cell culture, as an BAFF ELISA Standard, and as a Western Blot Control.

Storage

-20 C

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA