

Recombinant Human BCL10 293 Cell Lysate

Cat. No. BCL10-8490HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for B-cell CLL/lymphoma 10 (BCL10) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [BCL10 B-cell CLL/lymphoma 10 \[Homo sapiens \]](#)

Official Symbol BCL10

Synonyms

BCL10; B-cell CLL/lymphoma 10; B-cell lymphoma/leukemia 10; c E10; CARD containing molecule enhancing NF kB; CARD containing apoptotic signaling protein; CARD containing proapoptotic protein; CARD like apoptotic protein; CARMEN; caspase recruiting domain containing protein; CIPER; CLAP; mE10; hCLAP; cCARMEN; cellular-E10; cellular homolog of vCARMEN; CARD-containing proapoptotic protein; CARD containing molecule enhancing NF-kB; CARD-containing apoptotic signaling protein; caspase-recruiting domain-containing protein; CARD-containing molecule enhancing NF-kappa-B; mammalian CARD-containing adapter molecule E10; CED-3/ICH-1 prodomain homologous E10-like regulator; c-E10;

Gene ID [8915](#)

mRNA Refseq [NM_003921](#)

Protein Refseq [NP_003912](#)

MIM [603517](#)

UniProt ID [O95999](#)

Chromosome Location 1p22

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway

Activation of NF-kappaB in B Cells, organism-specific biosystem; Adaptive Immune System, organism-specific biosystem; B Cell Receptor Signaling Pathway, organism-specific biosystem; B cell receptor signaling pathway, organism-specific biosystem; B cell receptor signaling pathway, conserved biosystem; BCR signaling pathway, organism-specific biosystem; Canonical NF-kappaB pathway, organism-specific biosystem;

Function

NF-kappaB binding; enzyme binding; contributes_to kinase activator activity; kinase binding; protease binding; protein C-terminus binding; protein binding; protein kinase B binding; protein kinase binding; protein self-association; transcription coactivator activity; transcription factor binding; ubiquitin binding; ubiquitin protein ligase binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA