

## Recombinant Human BIRC3 293 Cell Lysate

Cat. No. BIRC3-8450HCL Lot. No. (See product label)

### SPECIFICATION

|                            |   |
|----------------------------|---|
| <b>Species</b>             | Human   |
| <b>Source</b>              | HEK293  |
| <b>Description</b>         | Antigen standard for baculoviral IAP repeat-containing 3 (BIRC3), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.  |
| <b>Components</b>          | This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol). |
| <b>Size</b>                | 0.1 mg  |
| <b>Storage Instruction</b> | Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.   |
| <b>Applications</b>        | ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the   |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

## GENE INFORMATION

|                            |  |
|----------------------------|--|
| <b>Gene Name</b>           | <a href="#">BIRC3 baculoviral IAP repeat containing 3 [ Homo sapiens ]</a>   |
| <b>Official Symbol</b>     | BIRC3  |
| <b>Synonyms</b>            | BIRC3; baculoviral IAP repeat containing 3; API2, baculoviral IAP repeat containing 3; baculoviral IAP repeat-containing protein 3; apoptosis inhibitor 2; c IAP2; cIAP2; hiap 1; inhibitor of apoptosis protein 1; MALT2; mammalian IAP homolog C; MIHC; RNF49; TNFR2 TRAF signaling complex protein; IAP-1; IAP homolog C; RING finger protein 49; baculoviral IAP repeat-containing 3; TNFR2-TRAF signaling complex protein; TNFR2-TRAF-signaling complex protein 1; AIP1; API2; CIAP2; HAIP1; HIAP1; c-IAP2; |
| <b>Gene ID</b>             | <a href="#">330</a>  |
| <b>mRNA Refseq</b>         | <a href="#">NM_001165</a>  |
| <b>Protein Refseq</b>      | <a href="#">NP_001156</a>  |
| <b>MIM</b>                 | <a href="#">601721</a>   |
| <b>UniProt ID</b>          | <a href="#">Q13489</a>   |
| <b>Chromosome Location</b> | 11q22  |
| <b>Pathway</b>             | Apoptosis, organism-specific biosystem; Apoptosis, organism-specific biosystem; Apoptosis, conserved biosystem; C-MYB transcription factor network, organism-  |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



specific biosystem; CD40/CD40L signaling, organism-specific biosystem; Caspase cascade in apoptosis, organism-specific biosystem; Ceramide signaling pathway, organism-specific biosystem;

**Function**

metal ion binding; protein binding; ubiquitin-protein ligase activity; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA