

Active Recombinant Human BMPR2, Fc-tagged, Biotinylated

Cat. No. BMPR2-556H Lot. No. (See product label)

SPECIFICATION

Product Overview	The recombinant human BMPR2-Fc fusion protein is expressed as a 352 amino acid protein consisting of Ser27 - Thr150 region of BMPR2 (UniProt accession #Q13873) and a C-terminal Fc fusion from human IgG1, which exists as a dimer under non-reducing condition.
Species	Human
Source	Human Cells
ProteinLength	27-150 a.a.
Form	Supplied at 0.5 mg/ml in sterile PBS pH7.4 (carrier & preservative free). The purified recombinant protein was labeled with Biotin (3-5 Biotin per molecule).
Bio-activity	Recombinant BMPR2 protein binds human/mouse BMP2/BMP7/GDF9, and blocks BMP2/BMP7/GDF9-induced signaling activity
Molecular Mass	Calculated molecular mass (kDa): 39.5; Estimated by SDS-PAGE under reducing condition (kDa): ~55
AA Sequence	SQNQERLCAFKDPYQQDLGIGESRISHENGTLCSKGSTCYGLWEKSKGDINLVKQG CWSHIGDPQECHYECCV VTTTPPSIQNGTYRFCCSTDLNENFTENFPPPDTTPL SPPHSFNRDETSTGTHTCPPCPAPELLGGPSVFL FPPKPKDTLMISRTPEVTCVVVD VSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNG KEY KCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREEMTKNQVSLTCLVKGFYPSDI

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AVEWESNGQPEN NYKTTTPVLDSGSDGFFLYSKLTVDKSRWQQGNVFSCSVMHEA
LHNHYTQKSLSLSPGK

Endotoxin <0.1 eu per 1 µg of purified recombinant protein determined by the

Purity >95% judged by SDS-PAGE under reducing condition

Storage The product is shipped at 4°C. Upon receipt, centrifuge the product briefly before opening the vial. It is recommended to store small aliquots at the temperature below -20°C for long-term storage and the product is stable for 3 months. The undiluted protein can be stored at 4°C for no more than 2 weeks. Avoid repeated freeze-thaw cycles.

Conjugation Biotin

GENE INFORMATION

Gene Name [BMPR2 bone morphogenetic protein receptor, type II \(serine/threonine kinase\) \[Homo sapiens \]](#)

Official Symbol BMPR2

Synonyms BMPR2; bone morphogenetic protein receptor, type II (serine/threonine kinase); PPH1, primary pulmonary hypertension 1; bone morphogenetic protein receptor type-2; BMPR II; BMPR3; BRK 3; T ALK; BMPR-2; BMP type-2 receptor; BMP type II receptor; type II activin receptor-like kinase; bone morphogenetic protein receptor type II; type II receptor for bone morphogenetic protein-4; BMR2; PPH1; BRK-3; T-ALK; BMPR-II; FLJ41585; FLJ76945;

Gene ID [659](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq	NM_001204
Protein Refseq	NP_001195
MIM	600799
UniProt ID	Q13873
Chromosome Location	2q33-q34
Pathway	ALK1 signaling events, organism-specific biosystem; ALK2 signaling events, organism-specific biosystem; BMP receptor signaling, organism-specific biosystem; BMP signalling and regulation, organism-specific biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Heart Development, organism-specific biosystem;
Function	ATP binding; activin receptor activity, type II; growth factor binding; metal ion binding; nucleotide binding; protein binding; receptor activity; transforming growth factor beta-activated receptor activity; transmembrane receptor protein serine/threonine kinase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA