

## Recombinant Human BNIP3L 293 Cell Lysate

Cat. No. BNIP3L-8422HCL Lot. No. (See product label)

### SPECIFICATION

|                            |   |
|----------------------------|---|
| <b>Species</b>             | Human   |
| <b>Source</b>              | HEK293  |
| <b>Description</b>         | Antigen standard for BCL2/adenovirus E1B 19kDa interacting protein 3-like (BNIP3L) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.  |
| <b>Components</b>          | This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol). |
| <b>Size</b>                | 0.1 mg  |
| <b>Storage Instruction</b> | Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.   |
| <b>Applications</b>        | ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the   |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

## GENE INFORMATION

|                            |  |
|----------------------------|--|
| <b>Gene Name</b>           | BNIP3L BCL2/adenovirus E1B 19kDa interacting protein 3-like [ Homo sapiens ]   |
| <b>Official Symbol</b>     | BNIP3L   |
| <b>Synonyms</b>            | BNIP3L; BCL2/adenovirus E1B 19kDa interacting protein 3-like; BCL2/adenovirus E1B 19kD interacting protein 3 like; BCL2/adenovirus E1B 19 kDa protein-interacting protein 3-like; BNIP3a; Nix; NIP3L; NIP3-like protein X; adenovirus E1B19k-binding protein B5; BCL2/adenovirus E1B 19-kd protein-interacting protein 3a; BCL2/adenovirus E1B 19 kDa protein-interacting protein 3A; NIX; |
| <b>Gene ID</b>             | 665  |
| <b>mRNA Refseq</b>         | NM_004331  |
| <b>Protein Refseq</b>      | NP_004322  |
| <b>MIM</b>                 | 605368   |
| <b>UniProt ID</b>          | O60238   |
| <b>Chromosome Location</b> | 8p21   |
| <b>Pathway</b>             | Apoptosis, organism-specific biosystem; Direct p53 effectors, organism-specific biosystem;   |
| <b>Function</b>            | identical protein binding; lamin binding; lamin binding; protein binding; protein  |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



heterodimerization activity; protein homodimerization activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA