

Recombinant Human BPGM, His-tagged

Cat. No. BPGM-10271H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human BPGM protein, fused to His-tag, was expressed in E.coli and purified by Ni-sepharose.
Species	Human
Source	E.coli
ProteinLength	1-259a.a.
Description	<p>2,3-diphosphoglycerate (2,3-DPG) is a small molecule found at high concentrations in red blood cells where it binds to and decreases the oxygen affinity of hemoglobin. This gene encodes a multifunctional enzyme that catalyzes 2,3-DPG synthesis via its synthetase activity, and 2,3-DPG degradation via its phosphatase activity. The enzyme also has phosphoglycerate phosphomutase activity. Deficiency of this enzyme increases the affinity of cells for oxygen. Mutations in this gene result in hemolytic anemia. Multiple alternatively spliced variants, encoding the same protein, have been identified.</p>
Storage	The protein is stored in PBS buffer at -20°C. Avoid repeated freezing and thawing cycles.
Storage Buffer	1M PBS (58mM Na ₂ HPO ₄ , 17mM NaH ₂ PO ₄ , 68mM NaCl, pH8.) added with 300mM Imidazole and 0.7% Sarcosyl, 15%glycerol.

GENE INFORMATION

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Gene Name	BPGM 2,3-bisphosphoglycerate mutase [Homo sapiens]
Official Symbol	BPGM
Synonyms	BPGM; 2,3-bisphosphoglycerate mutase; bisphosphoglycerate mutase; BPG-dependent PGAM; 2,3-diphosphoglycerate mutase; 2,3-bisphosphoglycerate synthase; erythrocyte 2,3-bisphosphoglycerate mutase; 2,3-bisphosphoglycerate mutase, erythrocyte; DPGM;
Gene ID	669
mRNA Refseq	NM_001724
Protein Refseq	NP_001715
MIM	613896
UniProt ID	P07738
Chromosome Location	7q31-q34
Pathway	Glycine, serine and threonine metabolism, organism-specific biosystem; Glycine, serine and threonine metabolism, conserved biosystem; Glycolysis / Gluconeogenesis, organism-specific biosystem; Glycolysis / Gluconeogenesis, conserved biosystem; Metabolic pathways, organism-specific biosystem; Rapoport-Luebering glycolytic shunt, organism-specific biosystem; Rapoport-Luebering glycolytic shunt, conserved biosystem;
Function	bisphosphoglycerate 2-phosphatase activity; bisphosphoglycerate mutase activity; hydrolase activity; isomerase activity; phosphoglycerate mutase activity;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA