

Recombinant Human BPTF, His&FLAG-tagged

Cat. No. BPTF-33H Lot. No. (See product label)

SPECIFICATION

Product Overview Recombinant Human BPTF corresponding to amino acids 2791-2911 that contains the bromodomain sequences of BPTF / FALZ (accession number NP_872579.2) was expressed in E. coli and contains an N-terminal His tag and C-terminal FLAG tag.

Species Human

Source E.coli

ProteinLength 2791-2911 a.a.

Description Bromodomain PHD finger transcription factor (BPTF), also known as Fetal Alzheimer antigen (FALZ), is a histone-binding component of NuRF (nucleosome-remodeling factor), a complex which catalyzes ATP-dependent nucleosome sliding and facilitates transcription of chromatin. BPTF protein contains a DNA-binding domain, a zinc finger motif and a bromodomain. Bromodomains recognize acetylated histone lysine residues and function as "readers" of these epigenetic histone marks to regulate chromatin structure and gene expression by linking associated proteins to the acetylated nucleosomal targets. BPTF also specifically recognizes H3 tails trimethylated on lysine 4 (H3K4me3), which mark transcription start sites of virtually all active genes. It may also regulate transcription through direct binding to DNA or transcription factors.

Form 25 mM HEPES pH 7.5, 150 mM NaCl and 5% glycerol.

Molecular Mass 20.3 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	Binding assays, inhibitor screening, and selectivity profiling.
Storage	Recombinant proteins in solution are temperature sensitive and must be stored at -80°C to prevent degradation. Avoid repeated freeze/thaw cycles and keep on ice when not in storage.
Concentration	5.5 mg/ml
GENE INFORMATION	
Gene Name	BPTF bromodomain PHD finger transcription factor [Homo sapiens]
Official Symbol	BPTF
Synonyms	BPTF; bromodomain PHD finger transcription factor; FALZ, fetal Alzheimer antigen; nucleosome-remodeling factor subunit BPTF; FAC1; NURF301; fetal Alzheimer antigen; fetal Alz-50 clone 1 protein; fetal Alz-50 reactive clone 1; nucleosome remodeling factor, large subunit; bromodomain and PHD domain transcription factor; bromodomain and PHD finger-containing transcription factor; FALZ;
Gene ID	2186
mRNA Refseq	NM_004459
Protein Refseq	NP_004450
MIM	601819
UniProt ID	Q12830
Chromosome	17q24

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Location

Function

contributes_to DNA-dependent ATPase activity; metal ion binding; protein binding; sequence-specific DNA binding; sequence-specific DNA binding; transcription factor binding; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA