

Active Recombinant Human BTLA Protein, Fc-Avi-tagged, Biotinylated

Cat. No. BTLA-567H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Biotinylated Human BTLA (31-150), Fc Tag, Avi Tag is expressed from HEK293 cells. It contains AA Lys 31 - Ser 150 (Accession # AAP44003.1). This protein carries a human IgG1 Fc tag at the C-terminus, followed by a Avi tag.
Species	Human
Source	HEK293
ProteinLength	31-150 a.a.
Predicted N Terminal	Lys 31
Form	Lyophilized from 0.22 um filtered solution in 50 mM Tris, 100 mM Glycine, 25 mM Arg, 150 mM NaCl, pH7.5, 10% trehalose.
Bio-activity	Immobilized Human HVEM, His Tag at 5 ug/mL (100 uL/well) can bind Biotinylated Human BTLA (31-150), Fc Tag, Avi Tag with a linear range of 0.02-0.625 ug/mL.
Molecular Mass	The protein has a calculated MW of 42.5 kDa. The protein migrates as 55-66 KDa under reducing condition (SDS-PAGE) due to glycosylation.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Purity	>95% as determined by SDS-PAGE.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Characteristic	Biotinylation of this product is performed using Avitag technology. Briefly, the single lysine residue in the Avitag is enzymatically labeled with biotin. The biotin to protein ratio is 0.5-1 as determined by the HABA assay.
Stability	Samples are stable for up to twelve months from date of receipt at -70°C.
Storage	For long term storage, the product should be stored at lyophilized state at -20°C or lower. Please avoid repeated freeze-thaw cycles. No activity loss is observed after storage at: 4-8°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
Conjugation	Biotin

GENE INFORMATION

Gene Name	BTLA B and T lymphocyte associated [Homo sapiens]
Official Symbol	BTLA
Synonyms	BTLA; B and T lymphocyte associated; B- and T-lymphocyte attenuator; BTLA1; CD272; B and T lymphocyte attenuator; B- and T-lymphocyte-associated protein; FLJ16065; MGC129743;
Gene ID	151888
mRNA Refseq	NM_001085357
Protein Refseq	NP_001078826

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



MIM	607925
------------	--------

UniProt ID	Q7Z6A9
-------------------	--------

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA