

# Rabbit Monoclonal Antibody to Mouse Lymphocyte Antigen 86

**Cat. No.** CAB11581RM    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	Rabbit Monoclonal Antibody to Mouse Lymphocyte Antigen 86
<b>Species</b>	Mouse
<b>Source</b>	Rabbit
<b>Antigen Description</b>	<p>MD-1 and MD-2 are secretory glycoproteins that exist on the cell surface in complexes with transmembrane proteins. MD-1 is anchored by radioprotective 105 (RP105) which is a molecule containing leucine-rich repeats and is expressed on B cells, dendritic cells and macrophages, while MD-2 is associated with TLR4. MD-1 is required for efficient RP105 cell surface expression and function. It is indicated that the RP105/MD1 complex, in conjunction with TLR4, mediates the innate immune response to LPS in B cells, and also plays a role in protecting against apoptosis, B-cell proliferation, etc. Mouse MD-1 cDNA encodes a 162 amino acid precursor protein with a putative 19 aa signal peptide and two potential N-linked glycosylation sites. It shares 40% and 66% amino acid sequence identity with chicken and human MD-1 respectively. MD-1 is mainly expressed in spleen, and also detectable in liver, brain, thymus, and kidney.</p>
<b>Specificity</b>	Mouse MD-1 / LY86. No cross-reactivity with human cell lysate ( 293 cell line ) in WB and ELISA.
<b>Immunogen</b>	Recombinant Mouse MD-1 / LY86 Protein
<b>Isotype</b>	Rabbit IgG

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Clone</b>	A417
<b>Applications</b>	Western blot; ELISA
<b>Dilution</b>	Western blot: This antibody can be used at 1-2 µg/mL with the appropriate secondary reagents to detect Mouse LY86 in WB. Using a DAB detection system, the detection limit for Mouse LY86 is approximately 0.5 ng/lane under non-reducing conditions and 2 ng/lane under reducing conditions. Direct ELISA: This antibody can be used at 0.1-0.2 µg/mL with the appropriate secondary reagents to detect Mouse LY86. The detection limit for Mouse LY86 is approximately 0.0195 ng/well.
<b>Preparation</b>	This antibody was obtained from a rabbit immunized with purified, human cell-derived, recombinant Mouse MD-1 / LY86
<b>Format</b>	0.2 µm filtered solution in PBS with 5% trehalose
<b>Storage</b>	This antibody can be stored at 2-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 to -70 °C. Preservative-Free. Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles.

## GENE INFORMATION

<b>Gene Name</b>	Ly86 lymphocyte antigen 86 [ <i>Mus musculus</i> ]
<b>Official Symbol</b>	LY86
<b>Synonyms</b>	LY86; lymphocyte antigen 86; ly-86; protein MD-1; MD1; MD-1;
<b>Gene ID</b>	17084

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



mRNA Refseq	NM_010745
-------------	-----------

Protein Refseq	NP_034875
----------------	-----------

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA