

Rabbit Monoclonal Antibody to Human Myelin Oligodendrocyte Glycoprotein

Cat. No. CAB11583RH Lot. No. (See product label)

SPECIFICATION

Product Overview	Rabbit Monoclonal Antibody to Human Myelin Oligodendrocyte Glycoprotein
Species	Human
Source	Rabbit
Antigen Description	<p>Myelin oligodendrocyte glycoprotein (MOG) is a transmembrane protein belonging to immunoglobulin superfamily, and contains an Ig-like domain followed by two potential membrane-spanning regions. MOG is expressed only in the CNS with very low content (approximately 0.1% total proteins) in oligodendroglia membrane. Three possible functions for MOG were suggested: (a) a cellular adhesive molecule, (b) a regulator of oligodendrocyte microtubule stability, and (c) a mediator of interactions between myelin and the immune system, in particular, the complement cascade. A direct interaction might exist between the membrane-associated regions of MOG and the myelin-specific glycolipid galactocerebroside (Gal-C), and such an interaction may have important consequences regarding the membrane topology and function of both molecules. It is considered that MOG is an autoantigen capable to produce a demyelinating multiple sclerosis-like disease in experimental animals.</p>
Specificity	Human MOG. No cross-reactivity with human cell lysate (293 cell line) in WB and ELISA.
Immunogen	Recombinant Human MOG Protein

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Isotype	Rabbit IgG
Clone	A014
Applications	Western blot; ELISA
Dilution	Western blot: This antibody can be used at 1-2 µg/mL with the appropriate secondary reagents to detect Human MOG in WB. Direct ELISA: This antibody can be used at 0.1-0.2 µg/mL with the appropriate secondary reagents to detect Human MOG. The detection limit for Human MOG is approximately 0.00975 ng/well.
Preparation	This antibody was obtained from a rabbit immunized with purified, human cell-derived, recombinant Human MOG
Format	0.2 µm filtered solution in PBS with 5% trehalose
Storage	This antibody can be stored at 2-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 to -70 °C. Preservative-Free. Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles.

GENE INFORMATION

Gene Name	MOG myelin oligodendrocyte glycoprotein [Homo sapiens]
Official Symbol	MOG
Synonyms	MOG; myelin oligodendrocyte glycoprotein; myelin-oligodendrocyte glycoprotein; MOG Ig-AluB; MOG alpha-5; MOGIG2; NRCLP7; MGC26137;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Gene ID	4340
mRNA Refseq	NM_001008228
Protein Refseq	NP_001008229
MIM	159465
UniProt ID	Q16653
Chromosome Location	6p22-p21.3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA