

Recombinant Human CARS, His-tagged

Cat. No. CARS-10724H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human CARS protein, fused to His-tag, was expressed in E.coli and purified by Ni-sepharose.
Species	Human
Source	E.coli
ProteinLength	1-353a.a.
Description	<p>Breakdown products of phosphoinositides are ubiquitous second messengers that function downstream of many G protein-coupled receptors and tyrosine kinases regulating cell growth, calcium metabolism, and protein kinase C activity. This gene encodes an enzyme which regulates the amount of phosphatidylinositol available for signaling by catalyzing the conversion of phosphatidic acid to CDP-diacylglycerol.</p> <p>This enzyme is an integral membrane protein localized to two subcellular domains, the matrix side of the inner mitochondrial membrane where it is thought to be involved in the synthesis of phosphatidylglycerol and cardiolipin and the cytoplasmic side of the endoplasmic reticulum where it functions in phosphatidylinositol biosynthesis. Two genes encoding this enzyme have been identified in humans, one mapping to human chromosome 4q21 and a second to 20p13.</p>
Storage	The protein is stored in PBS buffer at -20°C. Avoid repeated freezing and thawing cycles.
Storage Buffer	1M PBS (58mM Na ₂ HPO ₄ , 17mM NaH ₂ PO ₄ , 68mM NaCl, pH8.) added with 300mM

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Imidazole and 0.7% Sarcosyl, 15%glycerol.

GENE INFORMATION

Gene Name [CARS cysteinyl-tRNA synthetase \[Homo sapiens \]](#)

Official Symbol CARS

Synonyms CARS; cysteinyl-tRNA synthetase; cysteine--tRNA ligase, cytoplasmic; CARS1; cysteine tRNA ligase 1; cytoplasmic; cysteine translase; cysteine tRNA ligase 1, cytoplasmic; CYSRS; MGC:11246;

Gene ID [833](#)

mRNA Refseq [NM_001014437](#)

Protein Refseq [NP_001014437](#)

MIM [123859](#)

UniProt ID [P49589](#)

Chromosome Location 11p15.5

Pathway Aminoacyl-tRNA biosynthesis, organism-specific biosystem; Aminoacyl-tRNA biosynthesis, conserved biosystem; Aminoacyl-tRNA biosynthesis, eukaryotes, organism-specific biosystem; Aminoacyl-tRNA biosynthesis, eukaryotes, conserved biosystem; Cytosolic tRNA aminoacylation, organism-specific biosystem; Gene Expression, organism-specific biosystem; tRNA Aminoacylation, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

ATP binding; ATP binding; cysteine-tRNA ligase activity; cysteine-tRNA ligase activity; cysteine-tRNA ligase activity; ligase activity; metal ion binding; nucleotide binding; protein binding; protein homodimerization activity; protein homodimerization act

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA