

# Recombinant Human CASP1 Protein (N120-D297, A317-H404), His tagged

Cat. No. CASP1-1266H Lot. No. (See product label)

## SPECIFICATION

### Product Overview

Recombinant Human 6His-TEV-CASP1(N120-D297, A317-H404 end) (T388A)  
Protein was expressed in E. coli.

### Species

Human

### Source

E.coli

### ProteinLength

N120-D297, A317-H404

### Description

Thiol protease involved in a variety of inflammatory processes by proteolytically cleaving other proteins, such as the precursors of the inflammatory cytokines interleukin-1 beta (IL1B) and interleukin 18 (IL18) as well as the pyroptosis inducer Gasdermin-D (GSDMD), into active mature peptides. Plays a key role in cell immunity as an inflammatory response initiator: once activated through formation of an inflammasome complex, it initiates a proinflammatory response through the cleavage of the two inflammatory cytokines IL1B and IL18, releasing the mature cytokines which are involved in a variety of inflammatory processes. Cleaves a tetrapeptide after an Asp residue at position P1 (). Also initiates pyroptosis, a programmed lytic cell death pathway, through cleavage of GSDMD. In contrast to cleavage of interleukins IL1B and IL1B, recognition and cleavage of GSDMD is not strictly dependent on the consensus cleavage site but depends on an exosite interface on CASP1 that recognizes and binds the Gasdermin-D, C-terminal (GSDMD-CT) part. Upon inflammasome activation, during DNA virus infection but not RNA virus

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

challenge, controls antiviral immunity through the cleavage of CGAS, rendering it inactive. In apoptotic cells, cleaves SPHK2 which is released from cells and remains enzymatically active extracellularly.

<b>Form</b>	Liquid
<b>Endotoxin</b>	< 0.01 EU per µg of the protein
<b>Purity</b>	90%
<b>Stability</b>	Samples are stable for up to twelve months from date of receipt at -20 to -80 centigrade.
<b>Storage</b>	Store it under sterile conditions at -20 to -80 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
<b>Storage Buffer</b>	Supplied as sterile 50 mM Tris-HCl (pH7.5), 200 mM NaCl, 20% glycerol
<b>Shipping</b>	It is shipped out with blue ice.

## GENE INFORMATION

<b>Gene Name</b>	CASP1 caspase 1, apoptosis-related cysteine peptidase [ Homo sapiens (human) ]
<b>Official Symbol</b>	CASP1
<b>Synonyms</b>	CASP1; caspase 1, apoptosis-related cysteine peptidase; caspase 1, apoptosis related cysteine peptidase (interleukin 1, beta, convertase), caspase 1, apoptosis related cysteine protease (interleukin 1, beta, convertase), IL1BC; caspase-1; caspase 1; ICE; interleukin 1; beta; convertase; IL1B-convertase; CASP1 nirs variant 1; IL-1 beta-converting enzyme; interleukin 1, beta, convertase; interleukin 1-B

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



converting enzyme; caspase 1, apoptosis-related cysteine peptidase (interleukin 1, beta, convertase); P45; IL1BC;

**Gene ID** 834

**mRNA Refseq** NM\_001223

**Protein Refseq** NP\_001214

**MIM** 147678

**UniProt ID** P29466

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA