

Recombinant Human CASP5 293 Cell Lysate

Cat. No. CASP5-7835HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for caspase 5, apoptosis-related cysteine peptidase (CASP5), transcript variant a is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	CASP5 caspase 5, apoptosis-related cysteine peptidase [Homo sapiens]
Official Symbol	CASP5
Synonyms	CASP5; caspase 5, apoptosis-related cysteine peptidase; caspase 5, apoptosis related cysteine protease; caspase-5; ICE(rel)III; CASP-5; TY protease; protease TY; ICE(rel)-III; protease ICH-3; caspase 5, apoptosis-related cysteine protease; ICH-3; ICEREL-III; MGC141966;
Gene ID	838
mRNA Refseq	NM_001136109
Protein Refseq	NP_001129581
MIM	602665
UniProt ID	P51878
Chromosome Location	11q22.2-q22.3
Pathway	NOD-like receptor signaling pathway, organism-specific biosystem; NOD-like receptor signaling pathway, conserved biosystem;
Function	cysteine-type endopeptidase activity; cysteine-type peptidase activity; peptidase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA