

## Active Recombinant Human CASP8, His-tagged

Cat. No. CASP8-26H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human CASP8 (a.a: 200 – 496) fused with His tag at C-terminal was expressed in E. coli.
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>ProteinLength</b>	200-496 a.a.
<b>Description</b>	Caspase-8 is a member of the caspase (cysteine aspartate protease) family of proteins, and has been shown to be an executioner protein of apoptosis. Caspase-8 has been associated with chronic inflammation and neurodegenerative disorders including Alzheimer's, Huntington's, and Parkinson's. Procaspase-8 is autocleaved between the prodomain and large protease subunit (p18). The cleavage product, p30, contains both the large (p18) and small (p10 [His-tag]) protease subunits. p30 is further processed to the p18 and p10 subunits, which dimerize to form active enzyme.
<b>Form</b>	40 mM Tris-HCl, pH 8.0, 110 mM NaCl, 2.2 mM KCl, 200 mM imidazole, 3 mM DTT and 20% glycerol.
<b>Bio-activity</b>	≥ 1145 pmol/min/μg
<b>Molecular Mass</b>	34.5 kDa
<b>Applications</b>	Useful for the study of enzyme kinetics, screening inhibitors, and selectivity profiling.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Stability** >6 months at -80 centigrade.

**Warning** Avoid freeze/thaw cycles.

## GENE INFORMATION

**Gene Name** [CASP8 caspase 8, apoptosis-related cysteine peptidase \[ Homo sapiens \]](#)

**Official Symbol** CASP8

**Synonyms** CAP4; MACH; MCH5; FLICE; ALPS2B; Casp-8; caspase-8; FADD-homologous ICE/CED-3-like protease; FADD-like ICE; ICE-like apoptotic protease 5; MACH-alpha-1/2/3 protein; MACH-beta-1/2/3/4 protein; MORT1-associated ced-3 homolog; apoptotic cysteine protease; apoptotic protease Mch-5; caspase 8, apoptosis-related cysteine protease

**Gene ID** [841](#)

**mRNA Refseq** [NM\\_001228](#)

**Protein Refseq** [NP\\_001219](#)

**MIM** [601763](#)

**UniProt ID** Q14790

**Chromosome Location** 2q33-q34

**Pathway** AGE/RAGE pathway, organism-specific biosystem; Activated TLR4 signalling, organism-specific biosystem; Alzheimer's disease, conserved biosystem

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



**Function**

cysteine-type endopeptidase activity; cysteine-type endopeptidase activity involved in apoptotic process; death effector domain binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA