

Recombinant Human CBL Protein, MYC/DDK-tagged, C13 and N15-labeled

Cat. No. CBL-197H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	CBL MS Standard C13 and N15-labeled recombinant protein (NP_005179) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	<p>This gene is a proto-oncogene that encodes a RING finger E3 ubiquitin ligase. The encoded protein is one of the enzymes required for targeting substrates for degradation by the proteasome. This protein mediates the transfer of ubiquitin from ubiquitin conjugating enzymes (E2) to specific substrates. This protein also contains an N-terminal phosphotyrosine binding domain that allows it to interact with numerous tyrosine-phosphorylated substrates and target them for proteasome degradation. As such it functions as a negative regulator of many signal transduction pathways. This gene has been found to be mutated or translocated in many cancers including acute myeloid leukaemia, and expansion of CGG repeats in the 5' UTR has been associated with Jacobsen syndrome. Mutations in this gene are also the cause of Noonan syndrome-like disorder. [provided by RefSeq, Jul 2016]</p>
Molecular Mass	99.5 kDa
AA Sequence	MAGNVKKSSGAGGGSGSGSGSGGLIGLMKDAFQPHHHHHHLSPPPGTVDKK MVEKVCWKLMDKVVRLCQNPKLALKNSPPYILDLLPDTYQHLRRTILSRYEGKMETLGE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

NEYFRVFMENLMKKTQTISLFKEGKERMYEENSQPRRNLTKLSLIFSHMLAELKGIF
 PSLGFQGDTRITKADAAEFWRKAFGEKTIVPWKSFRQALHEVHPISSGLEAMALKS
 TIDLTCNDYISVFEFDIFTRLFQPWSSLLRNWNSLAVTHPGYMAFLTYDEVKARLQKF
 IHKPGSYIFRLSCTRLGQWAIGYVTADGNILQTIPHNKPLFQALIDGFREGFYLFDPGR
 NQNPDLTGLCEPTPQDHIKVTQEYELYCEMGSTFQLCKICAENDKDVKIEPCGHLM
 CTSCLTSWQESEGQGCPCRCCEIKGTEPIVVDPPDPRGSGSLLRQGAEGAPSPNYD
 DDDDERADDTLFMMKELAGAKVERPPSPFSMAPQASLPPVPPRLDLLPQRVCVPSS
 ASALGTASKAASGSLHKDKPLVPPTLRDLPPPPPPDRPYSVGAESRPQRRPLPCT
 PGDCPSRDKLPPVPSSRLGDSWLPRPIPKVPVSAPSSSDPWTGRELTNRHSLPFSL
 PSQMEPRPDVPRLGSTFSLDTSMSMNSSPLVGPECDHPKIKPSSSANAIYSLAARPL
 PVPKLPPGEQCEGEEDTEYMTSSRPLRPLDTSQSSRACDCDQQIDSCTYEAMYNI
 QSQAPSITESSTFGEGNLAAHANTGPEESENEDDGYDVPKPPVPAVLARRTLSDIS
 NASSSFGWLSLDGDPTTNVTEGSQVPERPPKPFPRRINSERKAGSCQQGSGPAAS
 AATASPQLSSEIENLMSQGYSYQDIQKALVIAQNNIEMAKNILREFVSISSPAHVATTR
 TRPLEQKLISEEDLAANDILDYKDDDDKV

Purity > 80% as determined by SDS-PAGE and Coomassie blue staining

Stability Stable for 3 months from receipt of products under proper storage and handling conditions.

Storage Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

Concentration 50 µg/mL as determined by BCA

Storage Buffer 100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name CBL Cbl proto-oncogene, E3 ubiquitin protein ligase [Homo sapiens (human)]


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Official Symbol	CBL
Synonyms	CBL; Cbl proto-oncogene, E3 ubiquitin protein ligase; Cas Br M (murine) ecotropic retroviral transforming sequence, CBL2; E3 ubiquitin-protein ligase CBL; c Cbl; oncogene CBL2; RNF55; proto-oncogene c-Cbl; RING finger protein 55; signal transduction protein CBL; casitas B-lineage lymphoma proto-oncogene; Cas-Br-M (murine) ecotropic retroviral transforming sequence; CBL2; NSLL; C-CBL;
Gene ID	867
mRNA Refseq	NM_005188
Protein Refseq	NP_005179
MIM	165360
UniProt ID	P22681

SDS-PAGE



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA