

Active Recombinant Rhesus CCL17 protein, His-tagged

Cat. No. CCL17-858R Lot. No. (See product label)

SPECIFICATION

Product Overview

A DNA sequence encoding the rhesus CCL17 (Met1-Ser94) was expressed with a polyhistidine tag at the C-terminus.

Species

Rhesus macaque

Source

Insect Cells

ProteinLength

Met1-Ser94

Description

Chemokines are a family of small chemotactic cytokines, or proteins secreted by cells. Chemokines share the same structure similarities such as small size, and the presence of four cysteine residues in conserved locations in order to form their 3-dimensional shape. Some of the chemokines are considered pro-inflammatory which can be induced to recruit cells of the immune system to a site of infection during an immune response, while others are considered homeostatic and are implied in controlling the migration of cells during normal processes of tissue maintenance and development. There are four members of the chemokine family: C-C kemokines, C kemokines, CXC kemokines and CX3C kemokines. The C-C kemokines have two cysteines nearby the amino terminus. There have been at least 27 distinct members of this subgroup reported for mammals, called C-C chemokine ligands-1 to 28. Chemokine ligand 17 (CCL17), also known as thymus and activation regulated chemokine(TARC), is a small cytokine belonging to the C-C chemokine family. CCL17 is expressed mainly in thymus and transiently in phytohemagglutinin-stimulated peripheral blood mononuclear cells. CCL17 can induce chemotaxis in T cells by

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	binding with the chemokine receptor CCR4.
Predicted N Terminal	Ala 24
Form	Lyophilized from sterile 20mM Tris, 500mM NaCl, pH 7.4, 10% gly Please contact us for any concerns or special requirements. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization.
Bio-activity	Testing in progress
Molecular Mass	The recombinant rhesus CCL17 comprises 81 amino acids and has a calculated molecular mass of 9.5 KDa.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method
Purity	> 95 % as determined by SDS-PAGE
Stability	Samples are stable for up to twelve months from date of receipt at -20°C to -80°C
Storage	Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Reconstitution	A hardcopy of COA with reconstitution instruction is sent along with the products. Please refer to it for detailed information.
Shipping	In general, recombinant proteins are provided as lyophilized powder which are shipped at ambient temperature. Bulk packages of recombinant proteins are provided as frozen liquid. They are shipped out with blue ice unless customers require otherwise.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



GENE INFORMATION

Gene Name	CCL17 C-C motif chemokine ligand 17 [<i>Macaca mulatta</i> (Rhesus monkey)]
Official Symbol	CCL17
Synonyms	CCL17
Gene ID	574180
mRNA Refseq	XM_015126152.2
Protein Refseq	XP_014981638.1
UniProt ID	Q8HYP9

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA