

Recombinant Human CCL18 Protein, GST-Tagged

Cat. No. CCL18-0616H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human CCL18 full-length ORF (NP_002979.1, 1 a.a. - 89 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	Wheat Germ
Description	This antimicrobial gene is one of several Cys-Cys (CC) cytokine genes clustered on the q arm of chromosome 17. Cytokines are a family of secreted proteins involved in immunoregulatory and inflammatory processes. The CC cytokines are proteins characterized by two adjacent cysteines. The cytokine encoded by this gene displays chemotactic activity for naive T cells, CD4+ and CD8+ T cells and nonactivated lymphocytes, but not for monocytes or granulocytes. This chemokine attracts naive T lymphocytes toward dendritic cells and activated macrophages in lymph nodes. It may play a role in both humoral and cell-mediated immunity responses. [provided by RefSeq, Sep 2014]
Molecular Mass	36.2 kDa
AA Sequence	MKGLAAALLVLVCTMALCSCAQVGTNKECLCLVYTSWQIPQKFIVDYSETSPQCCKP GVILLTKRGRQICADPNKKWVQKYISDLKLNA
Applications	Enzyme-linked Immunoabsorbent Assay Western Blot (Recombinant protein) Antibody Production

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Array

Storage Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.

Storage Buffer 50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

GENE INFORMATION

Gene Name [CCL18 chemokine \(C-C motif\) ligand 18 \(pulmonary and activation-regulated\) \[Homo sapiens \]](#)

Official Symbol [CCL18](#)

Synonyms

CCL18; chemokine (C-C motif) ligand 18 (pulmonary and activation-regulated); SCYA18, small inducible cytokine subfamily A (Cys Cys), member 18, pulmonary and activation regulated; C-C motif chemokine 18; AMAC 1; CKb7; DC CK1; DCCK1; MIP 4; PARC; CC chemokine PARC; CC chemokine ligand 18; chemokine (C-C), dendritic; dendritic cell chemokine 1; small inducible cytokine A18; small-inducible cytokine A18; macrophage inflammatory protein 4; pulmonary and activation-regulated chemokine; alternative macrophage activation-associated CC chemokine 1; small inducible cytokine subfamily A (Cys-Cys), member 18, pulmonary and activation-regulated; AMAC1; MIP-4; AMAC-1; DC-CK1; SCYA18;

Gene ID [6362](#)

mRNA Refseq [NM_002988](#)

Protein Refseq [NP_002979](#)

MIM [603757](#)

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID

P55774

Quality Control
Testing



12.5% SDS-PAGE Stained with Coomassie Blue.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA