

Recombinant Equine Chemokine (C-C motif) Ligand 3

Cat. No. CCL3-140E Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Equine CCL3 protein was expressed in <i>Yeast</i> and purified by using Ion-exchange chromatography, 7.9 kDa (70 aa).
Species	Equine
Source	Yeast
Description	Macrophage inflammatory protein-1 is a so-called monokine that is involved in the acute inflammatory state in the recruitment and activation of polymorphonuclear leukocytes. Sherry et al. (1988) demonstrated 2 protein components of MIP1, called by them alpha and beta.
Sequences Of Amino Acids	VPGADTPTA CCFSYVSRQI PRKFINDYYE TSSQCCKPAI IFQTKRSRQV CADPSEAWVQ EYVTDLELSA.
Formulation/Reconstitution	Lyophilized. Reconstitute with sterile phosphate-buffered saline containing at least 0.1% carrier protein.
Purity	>95% as visualized by SDS-PAGE analysis.
Purification	Ion-exchange chromatography.
Biological Activity	In testing.
Storage	Stable for up to twelve months from date of receipt at -20°C. Stable for at least

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

3 months when stored in working aliquots with a carrier protein at -20°C. Avoid repeated freeze/thaw cycles.

Pathways

Chemokine signaling pathway; Cytokine-cytokine receptor interaction

GENE INFORMATION
Gene Name

CCL3 chemokine (C-C motif) ligand 3 [*Equus caballus*]

Synonyms

CCL3; chemokine (C-C motif) ligand 3; MIP-1alpha; chemokine (C-C motif) ligand 3; macrophage inflammatory protein 1 alpha

Gene ID

100057909

mRNA Refseq


NM_001114941


Protein Refseq

NP_001108413

Chromosome Location

11

PDB rendering based on 1b50


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA