

Recombinant Full Length Human CCR10 Protein, GST-tagged

Cat. No. CCR10-3003HF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human CCR10 full-length ORF (AAH98132.1, 1 a.a. - 362 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	In Vitro Cell Free System
ProteinLength	362 amino acids
Description	Chemokines are a group of small (approximately 8 to 14 kD), mostly basic, structurally related molecules that regulate cell trafficking of various types of leukocytes through interactions with a subset of 7-transmembrane, G protein-coupled receptors. Chemokines also play fundamental roles in the development, homeostasis, and function of the immune system, and they have effects on cells of the central nervous system as well as on endothelial cells involved in angiogenesis or angiostasis. Chemokines are divided into 2 major subfamilies, CXC and CC, based on the arrangement of the first 2 of the 4 conserved cysteine residues; the 2 cysteines are separated by a single amino acid in CXC chemokines and are adjacent in CC chemokines. CCR10 is the receptor for CCL27 (SCYA27; MIM 604833); CCR10-CCL27 interactions are involved in T cell-mediated skin inflammation (Homey et al., 2002 [PubMed 11821900]).[supplied by OMIM, Mar 2008]
Molecular Mass	64.8 kDa
AA Sequence	MGTEATEQVSWGHHYSGDEEDAYSAEPLPELCYKADVQAFSRAFQPSVSLTVAALG

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

LAGNGLVLATHLAARRAARSPTSAHLLQLALADLLLALTLPFAAAGALQGWSLGSAT
 CRTISGLYSASFHAGFLFLACISADRYVAIARALPAGPRPSTPGRAHLVSVIVWLLSLL
 LALPALLFSQDGQREGQRRRCRLIFPEGLTQTVKGASAVAQVALGFALPLGVMVACY
 ALLGRTLAAARGPERRRALRVVVALVAAFVVLQLPYSLALLLDTADLLAARERSCPAS
 KRKDVALLVTSGLALARCGLNPNVLYAFLGLRFRQDLRLLLGGSCPSGPQPRRGCP
 RRPRLSSCSAPTETHSLSWDN

Applications	Enzyme-linked Immunoabsorbent Assay Western Blot (Recombinant protein) Antibody Production Protein Array
Storage	Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

GENE INFORMATION

Gene Name	CCR10 chemokine (C-C motif) receptor 10 [Homo sapiens]
Official Symbol	CCR10
Synonyms	CCR10; chemokine (C-C motif) receptor 10; G protein coupled receptor 2, GPR2; C-C chemokine receptor type 10; CCR-10; CC-CKR-10; C-C CKR-10; CC chemokine receptor 10; G protein-coupled receptor 2; G-protein coupled receptor 2; GPR2;
Gene ID	2826
mRNA Refseq	NM_016602
Protein Refseq	NP_057686

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



MIM 600240

UniProt ID P46092

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA