

Recombinant Human CCR7 Protein, His-tagged

Cat. No. CCR7-645H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human CCR7 Protein (Asn290-Pro378) with His tag was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	Asn290-Pro378
Description	<p>The protein encoded by this gene is a member of the G protein-coupled receptor family. This receptor was identified as a gene induced by the Epstein-Barr virus (EBV), and is thought to be a mediator of EBV effects on B lymphocytes. This receptor is expressed in various lymphoid tissues and activates B and T lymphocytes. It has been shown to control the migration of memory T cells to inflamed tissues, as well as stimulate dendritic cell maturation. The chemokine (C-C motif) ligand 19 (CCL19/ECL) has been reported to be a specific ligand of this receptor. Signals mediated by this receptor regulate T cell homeostasis in lymph nodes, and may also function in the activation and polarization of T cells, and in chronic inflammation pathogenesis. Alternative splicing of this gene results in multiple transcript variants.</p>
Form	Freeze-dried powder
Molecular Mass	Predicted Molecular Mass: 13.5 kDa; Accurate Molecular Mass: 16 kDa
Purity	> 90%

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	Positive Control; Immunogen; SDS-PAGE; WB.
Stability	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Storage	Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.
Storage Buffer	PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Reconstitution	Reconstitute in PBS or others.

GENE INFORMATION

Gene Name	CCR7 chemokine (C-C motif) receptor 7 [Homo sapiens (human)]
Official Symbol	CCR7
Synonyms	CCR7; chemokine (C-C motif) receptor 7; CMKBR7, EBI1; C-C chemokine receptor type 7; BLR2; CD197; CDw197; CCR-7; CC-CKR-7; C-C CKR-7; MIP-3 beta receptor; CC chemokine receptor 7; chemokine (C-C) receptor 7; Epstein-Barr virus induced gene 1; EBV-induced G protein-coupled receptor 1; EBV-induced G-protein coupled receptor 1; Epstein-Barr virus induced G-protein coupled receptor; lymphocyte-specific G protein-coupled peptide receptor; epstein-Barr virus-induced G-protein coupled receptor 1; EBI1; CMKBR7;
Gene ID	1236
mRNA Refseq	NM_001838

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Protein Refseq NP_001829

MIM 600242

UniProt ID P32248

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA