

Recombinant Human CCRL2 protein, GST-tagged

Cat. No. CCRL2-16H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human CCRL2(49 a.a. - 344 a.a.) fused with GST tag at N-terminal was expressed in Wheat Germ.
Species	Human
Source	Wheat Germ
ProteinLength	49-344 a.a.
Description	This gene encodes a chemokine receptor like protein, which is predicted to be a seven transmembrane protein and most closely related to CCR1. Chemokines and their receptors mediated signal transduction are critical for the recruitment of effector immune cells to the site of inflammation. This gene is expressed at high levels in primary neutrophils and primary monocytes, and is further upregulated on neutrophil activation and during monocyte to macrophage differentiation. The function of this gene is unknown. This gene is mapped to the region where the chemokine receptor gene cluster is located.
Form	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Molecular Mass	58.3 kDa
AA Sequence	FVIGVLDNLLVVLILVKYKGLKRAENIYLLNLAVSNLCFLLTLPFWAHAGGDPMCKILIG LYFVGLYSETFFNCL LTVQRYLVFLHKGNFFSARRRVPCGIITSVLAWVTAILATLPE YVVYKPQMEDQKYKCAFSRTPFLPADETFWKH FLTLKMNISVLVPLFIFTFLYVQM

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

RKTLRFREQRYSLFKLVFAIMVVFLMWAPYNIFFLSTFKEHFSLSDCK SSYNLDKS
 VHITKLIATTHCCINPLLYAFLDGTFSKYLRCRCFHLSRNTPLQPRGQSAQGTSREEPD
 HSTEV

Applications

Enzyme-linked Immunoabsorbent Assay; Western Blot (Recombinant protein);
 Antibody Production; Protein Array

Notes

Best use within three months from the date of receipt of this protein.

Storage

Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.

GENE INFORMATION

Gene Name

CCRL2 chemokine (C-C motif) receptor-like 2 [Homo sapiens]

Official Symbol

CCRL2

Synonyms

CCRL2; chemokine (C-C motif) receptor-like 2; C-C chemokine receptor-like 2;
 CKRX; CRAM A; CRAM B; HCR; chemokine receptor X; chemokine receptor CCR11;
 putative MCP-1 chemokine receptor; CRAM; CRAM-A; CRAM-B; FLJ55815;
 MGC34104; MGC116710;

Gene ID

9034

mRNA Refseq

NM_001130910

Protein Refseq

NP_001124382

MIM

608379

UniProt ID

O00421

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Chromosome Location	3p21
Pathway	GPCRs, Class A Rhodopsin-like, organism-specific biosystem;
Function	CCR chemokine receptor binding; G-protein coupled receptor activity; chemokine receptor activity; chemokine receptor binding; receptor activity; signal transducer activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA