

## Recombinant Human CD274, Biotin-His-tagged

**Cat. No.** CD274-8229H    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human PDL1 (CD274) Protein, was expressed in human 293 cells (HEK293) with biotin conjugate (labeled with biotin based on rhPDL1 protein).
<b>Species</b>	Human
<b>Source</b>	HEK293
<b>Description</b>	<p>Programmed cell death 1 ligand 1 (PD-L1) also known as cluster of differentiation (CD274) or B7 homolog 1 (B7-H1), is a member of the growing B7 family of immune molecules and is involved in the regulation of cellular and humoral immune responses. B7-H1 is a cell surface immunoglobulin superfamily with two Ig-like domains within the extracellular region and a short cytoplasmic domain. PD-L1 is highly expressed in the heart, skeletal muscle, placenta and lung and weakly expressed in the thymus, spleen, kidney and liver. PD-L1 is expressed on activated T-cells, B-cells, dendritic cells, keratinocytes and monocytes. PD-L1 is up-regulated on T- and B-cells, dendritic cells, keratinocytes and monocytes after LPS and IFNG activation and up-regulated in B-cells activated by surface Ig cross-linking. PD-L1 involve in the costimulatory signal, essential for T-cell proliferation and production of IL10 and IFNG, in an IL2-dependent and a PDCD1-independent manner.</p>
<b>Predicted N Terminal</b>	Phe 19
<b>Form</b>	Lyophilized from 0.22 µm filtered solution in PBS, pH7.4. Normally Trehalose are added as protectants before lyophilization.

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Molecular Mass</b>	26 kDa. DTT-reduced Protein migrates as 35-42 kDa due to glycosylation.
<b>Endotoxin</b>	Less than 1.0 EU per µg of the Biotinylated PDL1 / CD274 by the LAL method.
<b>Purity</b>	>95% as determined by reduced SDS-PAGE.
<b>Storage</b>	Avoid repeated freeze-thaw cycles.No activity loss was observed after storage at:In lyophilized state for 1 year (4oC-8oC); After reconstitution under sterile conditions for 1 month (4oC-8oC) or 3 months (-20oC to -70oC).
<b>Conjugation</b>	Biotin

## GENE INFORMATION

<b>Gene Name</b>	<a href="#">CD274 CD274 molecule [ Homo sapiens ]</a>
<b>Official Symbol</b>	CD274
<b>Synonyms</b>	CD274; CD274 molecule; CD274 antigen , PDCD1LG1, programmed cell death 1 ligand 1; programmed cell death 1 ligand 1; B7 homolog 1; B7 H; B7 H1; B7H1; PD L1; PDL1; CD274 antigen; PDCD1 ligand 1; programmed death ligand 1; B7-H; PD-L1; PDCD1L1; PDCD1LG1; MGC142294; MGC142296;
<b>Gene ID</b>	<a href="#">29126</a>
<b>mRNA Refseq</b>	<a href="#">NM_014143</a>
<b>Protein Refseq</b>	<a href="#">NP_054862</a>
<b>MIM</b>	<a href="#">605402</a>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>UniProt ID</b>	Q9NZQ7
<b>Chromosome Location</b>	9p24.1
<b>Pathway</b>	Adaptive Immune System, organism-specific biosystem; Cell adhesion molecules (CAMs), organism-specific biosystem; Cell adhesion molecules (CAMs), conserved biosystem; Costimulation by the CD28 family, organism-specific biosystem; Immune System, organism-specific biosystem; PD-1 signaling, organism-specific biosystem;
<b>Function</b>	protein binding; protein tyrosine phosphatase activity; receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA