

Recombinant Human CD276 Protein, Fc-tagged, Alexa Fluor 555 conjugated

Cat. No. CD276-183HAF555 Lot. No. (See product label)

SPECIFICATION

Product Overview

The Alexa Fluor 555 conjugated extracellular domain of human CD276 [B7-H3] (aa 29-245) is fused to the N-terminus of the Fc region of human IgG1.

Species

Human

Source

CHO

ProteinLength

29-245 a.a.

Description

CD276 (B7-H3) is a member of the B7/CD28 superfamily of costimulatory molecules serving as an accessory modulator of T cell response. B7 family molecules, which are expressed on antigen-presenting cells and display extracellular regions containing immunoglobulin (Ig) variable (V)- and constant (C)-like domains, are known to modulate T cell receptor (TCR)-mediated T cell activation by providing co-signals that are either stimulatory or inhibitory. B7-H3 provides a stimulatory signal to T cells. However, recent studies suggest a negative regulatory role for B7-H3 in T cell responses. B7-H3 inhibited T cell proliferation mediated by antibody to T cell receptor or allogeneic antigen-presenting cells. B7-H3 is a negative regulator that preferentially affects T(H)1 responses. B7-H3 may play an important role in muscle-immune interactions, providing further evidence of the active role of muscle cells in local immunoregulatory processes. Recently, B7-H3 expression has also been found in a variety of different human cancers, including prostate cancer, clear cell renal cell carcinoma (ccRCC), non-small-cell lung cancer (NSCLC), pancreatic cancer, gastric

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

cancer, ovarian cancer, colorectal cancer (CRC) and urothelial cell carcinoma. B7-H3 was expressed in some human cancers and correlated with poor outcome of cancer patients.

Form Lyophilized

Purity ≥98 % by SDS-PAGE

Characteristic Disulfide-linked homodimer
Labeled with Alexa Fluor 555 via amines
With an excitation and emission maximum of 555/565 nm, Alexa Fluor 555 can be efficiently excited using a 543 nm He-Ne laser line and detected under standard TRITC/Cy3 filters.

Stability Stable for at least 1 year after receipt when stored at -20 centigrade. Working aliquots are stable for up to 3 months when stored at -20 centigrade.

Storage Short Term Storage: +4 centigrade; Long Term Storage: -20 centigrade. Avoid freeze/thaw cycles.

Storage Buffer Lyophilized from 0.2 µm filtered solution in PBS.

Conjugation Alexa Fluor 555

GENE INFORMATION

Gene Name CD276 CD276 molecule [Homo sapiens]

Official Symbol CD276

Synonyms CD276; CD276 molecule; CD276 antigen; B7 H3; B7H3; B7RP 2; B7 homolog 3;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



costimulatory molecule; B7-H3; B7RP-2; 4lg-B7-H3;

Gene ID

80381

mRNA Refseq

NM_001024736

Protein Refseq


NP_001019907

MIM

605715

UniProt ID

Q5ZPR3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA