

Active Recombinant Human / Cynomolgus / Rhesus Monkey CD28 Protein, Fc & Avi-tagged, Biotinylated

Cat. No. CD28-338H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human / Cynomolgus / Rhesus Monkey CD28 Protein, Fc & Avi-tagged, Biotinylated is expressed from human 293 cells (HEK293). It contains AA Asn 19 - Pro 152 (Accession # AAH93698). Predicted N-terminus: Asn 19. This protein carries a human IgG1 Fc tag at the C-terminus, followed by a Avi tag. The protein has a calculated MW of 43.6 kDa. As a result of glycosylation, the protein migrates as 55-66 kDa under reducing (R) condition, and 110-130 kDa under non-reducing (NR) condition (SDS-PAGE).
Species	Human / Cynomolgus / Rhesus macaque
Source	HEK293
ProteinLength	Asn 19 - Pro 152
Form	Lyophilized from 0.22 µm filtered solution in 50 mM Tris, 100 mM Glycine, pH7.5. Normally trehalose is added as protectant before lyophilization.
Bio-activity	<p>Immobilized Human B7-2, Fc Tag at 5 µg/mL (100 µL/well) can bind Recombinant Human / Cynomolgus / Rhesus Monkey CD28 Protein, Fc & Avi-tagged, Biotinylated with a linear range of 0.15-5 µg/mL (QC tested).</p> <p>Immobilized Anti-CD28 MAb, Mouse IgG1 at 5 µg/mL (100 µL/well) can bind Recombinant Human / Cynomolgus / Rhesus Monkey CD28 Protein, Fc & Avi-tagged, Biotinylated with a linear range of 2.4-39 ng/mL (Routinely tested).</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Immobilized Human B7-1, Fc Tag at 5 µg/mL (100 µL/well) can bind Recombinant Human / Cynomolgus / Rhesus Monkey CD28 Protein, Fc & Avi-tagged, Biotinylated with a linear range of 0.313-5 µg/mL (Routinely tested).

Molecular Mass 43.6 kDa

Endotoxin Less than 1.0 EU per µg by the LAL method.

Purity >95% as determined by SDS-PAGE.

Notes Please avoid repeated freeze-thaw cycles.

Stability No activity loss is observed after storage at:
4-8 centigrade for 12 months in lyophilized state;
-70 centigrade for 3 months under sterile conditions after reconstitution.

Storage For long term storage, the product should be stored at lyophilized state at -20 centigrade or lower.

Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 mg/ml. Centrifuge the vial at 4 centigrade before opening to recover the entire contents.

Conjugation Biotin

GENE INFORMATION

Gene Name CD28 CD28 molecule [Homo sapiens]


Official Symbol CD28

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms	CD28; CD28 molecule; CD28 antigen (Tp44); CD28 antigen; Tp44; MGC138290;
Gene ID	940
mRNA Refseq	NM_001243077
Protein Refseq	NP_001230006
MIM	186760
UniProt ID	P10747



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA