

## Active Recombinant Mouse CD3E & CD3D protein, Fc-His & Fc-Flag-tagged

**Cat. No.** CD3E & CD3D-2966M    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Mouse CD3E&CD3D protein(Asp 23-Asp 108 (CD3E) & Phe 22-Ala 105 (CD3D)), fused with Fc-His and Fc-Flag tag, was expressed in HEK293.
<b>Species</b>	Mouse
<b>Source</b>	HEK293
<b>ProteinLength</b>	Asp 23-Asp 108 (CD3E) & Phe 22-Ala 105 (CD3D)
<b>Form</b>	Lyophilized from 0.22 μm filtered solution in 50 mM Tris, 100mM Glycine, 25mM Arginine, 150mM NaCl, pH7.5. Normally trehalose is added as protectant before lyophilization.
<b>Bio-activity</b>	Immobilized Biotinylated CD3e Monoclonal Antibody at 1 μg/mL (100 μL/well) on streptavidin (0.5 μg/well) plate, can bind Mouse CD3E&CD3D Heterodimer Protein, Fc,His Tag&Fc,Flag Tag with a linear range of 0.016-0.25 μg/mL.
<b>Molecular Mass</b>	Mouse CD3E&CD3D Heterodimer Protein, Fc, His Tag&Fc, Flag Tag is produced by co-expression of CD3E and CD3D, has a calculated MW of 41.5 kDa (CD3E) and 40.7 kDa (CD3D). Subunit CD3E is fused with a human IgG1 Fc tag and a polyhistidine tag at the C-terminus and subunit CD3D is fused with a human IgG1 Fc tag and a flag tag at the C-terminus. As a result of glycosylation, the heterodimer protein migrates as 55-65 kDa under reducing (R) condition, and 90-116 kDa under

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	non-reducing (NR) condition (SDS-PAGE).
<b>Endotoxin</b>	Less than 1.0 EU per µg by the LAL method.
<b>Purity</b>	>95% as determined by SDS-PAGE.>90% as determined by SEC-MALS.
<b>Storage</b>	For long term storage, the product should be stored at lyophilized state at -20°C or lower. Please avoid repeated freeze-thaw cycles. This product is stable after storage at: -20°C to -70°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.
<b>Reconstitution</b>	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 µg/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

## GENE INFORMATION

<b>Gene Name</b>	Cd3e CD3 antigen, epsilon polypeptide [ <i>Mus musculus</i> ]
<b>Official Symbol</b>	CD3E
<b>Synonyms</b>	CD3E; CD3 antigen, epsilon polypeptide; T-cell surface glycoprotein CD3 epsilon chain; T-cell surface antigen T3/Leu-4 epsilon chain; CD3; T3e; AI504783; CD3epsilon;
<b>Gene ID</b>	12501
<b>mRNA Refseq</b>	NM_007648
<b>Protein Refseq</b>	NP_031674

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA