

Active Recombinant Human CD3E & CD3D protein, His-tagged

Cat. No. CD3E & CD3D-2969H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human CD3E&CD3D protein(Asp 23-Asp 126 (CD3E) & Phe 22-Ala 105 (CD3D)), fused with His tag, was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	Asp 23-Asp 126 (CD3E) & Phe 22-Ala 105 (CD3D)
Form	Lyophilized from 0.22 µm filtered solution in PBS, pH7.4. Normally trehalose is added as protectant before lyophilization.
Bio-activity	<p>Immobilized Human CD3E&CD3D Heterodimer Protein, His Tag&Tag Free at 1 µg/mL (100 µL/well) can bind Monoclonal Anti-Human CD3 Antibody, Mouse IgG2a (Clone: OKT3) with a linear range of 0.2-6 ng/mL. Immobilized Human CD3E&CD3D Heterodimer Protein, His Tag&Tag Free at 1 µg/mL (100 µL/well) can bind UCHT1 with a linear range of 0.2-6 ng/mL. Quantitative Analysis of Bispecific T-cell Engager (CD3 X BCMA) in human serum.</p> <p>Immobilized Human CD3E&CD3D Heterodimer Protein, His Tag&Tag Free at 2 µg/mL, add increasing concentrations of Bispecific T cell Engager (CD3 X BCMA) in 10% human serum and then add Biotinylated BCMA Fc, Avitag at 0.2 µg/mL. Detection was performed using HRP-conjugated streptavidin with sensitivity of 4 ng/mL.</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Mass	Human CD3E&CD3D Heterodimer Protein, His Tag&Tag Free is produced by co-expression of CD3E and CD3D, has a calculated MW of 16.6 kDa (CD3E) and 13.4 kDa (CD3D). Subunit CD3E is fused with a polyhistidine tag at the C-terminus and subunit CD3D contains no tag. The reducing (R) heterodimer protein migrates as 25-30 kDa (CD3E) and 20 kDa and 22 kDa (CD3D) due to glycosylation.
Endotoxin	Less than 1.0 EU per µg by the LAL method.
Purity	>90% as determined by SDS-PAGE.
Storage	For long term storage, the product should be stored at lyophilized state at -20°C or lower. Please avoid repeated freeze-thaw cycles. This product is stable after storage at: -20°C to -70°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 µg/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

GENE INFORMATION

Gene Name	CD3E CD3e molecule, epsilon (CD3-TCR complex) [Homo sapiens]
Official Symbol	CD3E
Synonyms	CD3E; CD3e molecule, epsilon (CD3-TCR complex); CD3e antigen, epsilon polypeptide (TiT3 complex); T-cell surface glycoprotein CD3 epsilon chain; CD3-epsilon; T-cell surface antigen T3/Leu-4 epsilon chain; T-cell antigen receptor complex, epsilon subunit of T3; T3E; TCRE; FLJ18683;
Gene ID	916

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



mRNA Refseq [NM_000733](#)

Protein Refseq [NP_000724](#)

UniProt ID [P07766](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA