

Active Recombinant Human CD3E Protein, His-Avi-tagged, Biotinylated

Cat. No. CD3E-2193H Lot. No. (See product label)

SPECIFICATION

Product Overview Biotinylated Human CD3 epsilon, His Tag, Avi Tag is expressed from HEK293 cells. It contains AA Asp 23 - Asp 126 (Accession # P07766-1). This protein carries a polyhistidine tag at the C-terminus, followed by an Avi tag.

Species Human

Source HEK293

ProteinLength 23-126 a.a.

Predicted N Terminal Asp 23

Form Lyophilized from 0.22 um filtered solution in PBS, pH7.4, 10% trehalose.

Bio-activity Immobilized Anti Human CD3e MAb at 2 ug/mL (100 uL/well) can bind Biotinylated Human CD3 epsilon, His Tag, Avi Tag with a linear range of 0.2-6 ug/mL.

Molecular Mass The protein has a calculated MW of 15.5 kDa. The protein migrates as 17-18 kDa under reducing condition (SDS-PAGE) due to glycosylation.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

Purity >90% as determined by SDS-PAGE.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Characteristic	Biotinylation of this product is performed using Avitag technology. Briefly, the single lysine residue in the Avitag is enzymatically labeled with biotin. The biotin to protein ratio is 0.5-1 as determined by the HABA assay.
Stability	Samples are stable for up to twelve months from date of receipt at -70°C.
Storage	For long term storage, the product should be stored at lyophilized state at -20°C or lower. Please avoid repeated freeze-thaw cycles. No activity loss is observed after storage at: 4-8°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
Conjugation	Biotin

GENE INFORMATION

Gene Name	CD3E CD3e molecule, epsilon (CD3-TCR complex) [Homo sapiens]
Official Symbol	CD3E
Synonyms	CD3E; CD3e molecule, epsilon (CD3-TCR complex); CD3e antigen, epsilon polypeptide (TiT3 complex); T-cell surface glycoprotein CD3 epsilon chain; CD3-epsilon; T-cell surface antigen T3/Leu-4 epsilon chain; T-cell antigen receptor complex, epsilon subunit of T3; T3E; TCRE; FLJ18683;
Gene ID	916
mRNA Refseq	NM_000733

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Protein Refseq NP_000724

UniProt ID P07766

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA