

Recombinant Human CD4 Protein, Fc & Avi-tagged

Cat. No. CD4-23H Lot. No. (See product label)

SPECIFICATION

Product Overview	Biotinylated Human CD4, Fc Tag is expressed from human 293 cells (HEK293). It contains AA Lys 26 - Pro 396. This protein carries a human IgG1 Fc tag at the C-terminus, followed by a Avi tag. The single lysine residue in the Avitag is enzymatically labeled with biotin.
Species	Human
Source	HEK293
ProteinLength	26-396 a.a.
Description	<p>T-cell surface glycoprotein CD4 is also known as T-cell surface antigen T4/Leu-3. CD4 contains three Ig-like C2-type (immunoglobulin-like) domains and one Ig-like V-type (immunoglobulin-like) domain. CD4 is accessory protein for MHC class-II antigen/T-cell receptor interaction. CD4 induces the aggregation of lipid rafts. CD4 is a primary receptor used by HIV-1 to gain entry into host T cells. HIV infection leads to a progressive reduction of the number of T cells possessing CD4 receptors. Therefore, medical professionals refer to the CD4 count to decide when to begin treatment for HIV-infected patients.</p>
Predicted N Terminal	Lys 26
Molecular Mass	The protein has a calculated MW of 69.7 kDa. As a result of glycosylation, the protein migrates as 80 kDa under reducing (R) condition, and 150 kDa under non-reducing (NR) condition (SDS-PAGE).

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Endotoxin	Less than 1.0 EU per µg by the LAL method.
Purity	>95% as determined by SDS-PAGE.
Storage	<p>For long term storage, the product should be stored at lyophilized state at -20 centigrade or lower.</p> <p>Please avoid repeated freeze-thaw cycles.</p> <p>No activity loss is observed after storage at: 4-8 centigrade for 12 months in lyophilized state; -70 centigrade for 3 months under sterile conditions after reconstitution.</p>
Storage Buffer	Lyophilized from 0.22 µm filtered solution in 50 mM Tris, 100 mM Glycine, pH7.5. Normally trehalose is added as rotectant before lyophilization.

GENE INFORMATION

Gene Name	CD4
Official Symbol	CD4 CD4 molecule [Homo sapiens (human)]
Synonyms	CD4; CD4mut; LEU3; CD4 molecule; T-cell surface glycoprotein CD4; CD4 antigen (p55); CD4 receptor; T-cell surface antigen T4/Leu-3
Gene ID	920
mRNA Refseq	NM_000616
Protein Refseq	NP_000607
MIM	186940

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID

P01730

SDS-PAGE



Biotinylated Human CD4, Fc Tag on SDS-PAGE under reducing (R) and non-reducing (NR) conditions. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95%.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA