

# Recombinant Mouse CD4 Protein (Met1-Thr394), His-tagged, Biotinylated

**Cat. No.** CD4-803M    **Lot. No.** (See product label)

## SPECIFICATION

**Product Overview**      Recombinant Mouse CD4 Protein (NP\_038516.1) (Met1-Thr394) was produced by HEK293 Cells expression system. This protein was expressed with a polyhistidine tag at the C-terminus. The expressed protein was biotinylated in vitro.

**Species**      Mouse

**Source**      HEK293

**ProteinLength**      Met1-Thr394

**Description**      T-cell surface glycoprotein CD4, is a single-pass type I membrane protein. CD4 contains three Ig-like C2-type (immunoglobulin-like) domains and one Ig-like V-type (immunoglobulin-like) domain. CD4 is a glycoprotein expressed on the surface of T helper cells, regulatory T cells, monocytes, macrophages, and dendritic cells. The CD4 surface determinant, previously associated as a phenotypic marker for helper/inducer subsets of T lymphocytes, has now been critically identified as the binding/entry protein for human immunodeficiency viruses (HIV). The human CD4 molecule is readily detectable on monocytes, T lymphocytes, and brain tissues. All human tissue sources of CD4 bind radiolabeled gp12 to the same relative degree; however, the murine homologous protein, L3T4, does not bind the HIV envelope protein. CD4 is a co-receptor that assists the T cell receptor (TCR) to activate its T cell following an interaction with an antigen presenting cell. Using its portion that resides inside the T cell, CD4 amplifies the signal generated by the TCR. CD4

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

interacts directly with MHC class II molecules on the surface of the antigen presenting cell via its extracellular domain. The CD4 molecule is currently the object of intense interest and investigation both because of its role in normal T-cell function, and because of its role in HIV infection. CD4 is a primary receptor used by HIV-1 to gain entry into host T cells. HIV infection leads to a progressive reduction of the number of T cells possessing CD4 receptors. Viral protein U (VpU) of HIV-1 plays an important role in downregulation of the main HIV-1 receptor CD4 from the surface of infected cells. Physical binding of VpU to newly synthesized CD4 in the endoplasmic reticulum is an early step in a pathway leading to proteasomal degradation of CD4. Amino acids in both helices found in the cytoplasmic region of VpU in membrane-mimicking detergent micelles experience chemical shift perturbations upon binding to CD4, whereas amino acids between the two helices and at the C-terminus of VpU show no or only small changes, respectively. Paramagnetic spin labels were attached at three sequence positions of a CD4 peptide comprising the transmembrane and cytosolic domains of the receptor. VpU binds to a membrane-proximal region in the cytoplasmic domain of CD4.

**Predicted N Terminal** Lys 27

**Form** Lyophilized from sterile PBS. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization.

**Molecular Mass** The recombinant mouse CD4 consists of 379 amino acids and has a predicted molecular mass of 42.8 kDa.

**Endotoxin** < 1.0 EU per µg protein as determined by the LAL method.

**Purity** > 95 % as determined by SDS-PAGE

**Stability** Samples are stable for up to twelve months from date of receipt at -70 centigrade.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Storage</b>	Store it under sterile conditions at -20 centigrade to -80 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
<b>Reconstitution</b>	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 mg/ml. Centrifuge the vial at 4°C before opening to recover the entire contents.
<b>Shipping</b>	In general, recombinant proteins are provided as lyophilized powder which are shipped at ambient temperature. Bulk packages of recombinant proteins are provided as frozen liquid. They are shipped out with blue ice unless customers require otherwise.
<b>Conjugation</b>	Biotin

## GENE INFORMATION

<b>Gene Name</b>	<a href="#">Cd4 CD4 antigen [ Mus musculus ]</a>
<b>Official Symbol</b>	<a href="#">CD4</a>
<b>Synonyms</b>	CD4; CD4 antigen; L3T4; Ly-4;
<b>Gene ID</b>	<a href="#">12504</a>
<b>mRNA Refseq</b>	<a href="#">NM_013488</a>
<b>Protein Refseq</b>	<a href="#">NP_038516</a>
<b>UniProt ID</b>	<a href="#">Q3TSV7</a>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA