

Recombinant Human CD47 protein, T7/His-tagged

Cat. No. CD47-90H Lot. No. (See product label)

SPECIFICATION

Product Overview Recombinant human CD47, which carry single Ig-like V type domain cDNA (19 – 127 aa, derived from BC012884) fused with T7-His-TEV cleavage site Tag (29aa) at N-terminal was expressed in E. coli.

Species Human

Source E.coli

ProteinLength 19-127 a.a.

Form 0.5 mg/ml, sterile-filtered, in 20 mM pH 8.0 Tris-HCl Buffer, with proprietary formulation of NaCl, KCl, EDTA, arginine, DTT and Glycerol.

AA Sequence MASMTGGQQMGRGRHHHHHHENLYFQGGEFQLLFNKTKSVEFTFCNDTVVIPCFVT
NMEAQNTTEVYVKWKFGRD IYTFDGALNKSTVPTDFSSAKIEVSQLLKGDASLKM
DKSDAVSHTGNYTCEVTELTREGETII

Purity >90% by SDS-PAGE

Applications

1. May be used for in vitro non-glycosylated CD47 longest extracellular domain protein mediated "don't eat me" signal regulation study for cancer cell migration, T cell activation et al. with this protein as either coating matrix protein or soluble factor.
2. May be used as CD47 protein-protein interaction assay.
3. As enzymatic substrate for various proteases.
4. As potential cancer diagnostic biomarker protein.
5. As antigen for specific antibody production.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage Keep at -80centigrade for long term storage. Product is stable at 4 centigrade for at least 30 days.

GENE INFORMATION

Gene Name [CD47 CD47 molecule \[Homo sapiens \]](#)

Official Symbol [CD47](#)

Synonyms CD47; CD47 molecule; CD47 antigen (Rh related antigen, integrin associated signal transducer) , MER6; leukocyte surface antigen CD47; antigen identified by monoclonal 1D8; antigenic surface determinant protein OA3; CD47 glycoprotein; IAP; integrin assoc

Gene ID [961](#)

mRNA Refseq [NM_001777](#)

Protein Refseq [NP_001768](#)

MIM [601028](#)

UniProt ID [Q08722](#)

Chromosome Location 3q13.1-q13.2

Pathway Cell surface interactions at the vascular wall, organism-specific biosystem; Cell-Cell communication, organism-specific biosystem; ECM-receptor interaction, organism-specific biosystem; ECM-receptor interaction, conserved biosystem; Hemostasis, organism-specific biosystem

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

protein binding; thrombospondin receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA